

*

(/ / : / / :)

()
()

(GPS)

GPS

/ /

(/)

/ /

:

)

(

() Clark () Raper et al. (Morgan &

۲

.Ess,1997)

۳

Fulton et al. (1996) .

(GPS)^۵

(GIS)^۶

() Taylor & Gardner .

() Clark et al. . /

(:
 ((((((((())

(Hemmat &


() Raper Adamchuk, 2008)

() Raper et al.,

)
)
 () ()

Khalilian et al.

()




5.Global positioning system
 6. Geographical information system
 7. Rake angle

1. Precision tillage
 2. On-the-go
 3. Cone penetrometer
 4. Site-specific tillage

() Mouazen & Ramon

() Raper



(Mouazen &

Ramon, 2002)

GPS

()

()

()



Working model

GPS

()

()

1. Active control
2. Closed loop
3. Feed back signal
4. Shaft encoder




(Automatic)

NMEA

GPS

1. Dialog box



E1 N1 . ()

E2 N2
D

%

```

map1 - Notepad
File Edit Format View Help
N1, E1, N2, E2, D
3242.710, 5131.42, 3242.715, 5131.43, 22
3242.715, 5131.42, 3242.720, 5131.43, 15
3242.720, 5131.42, 3242.730, 5131.43, 20
3242.730, 5131.42, 3242.740, 5131.43, 13
3242.710, 5131.43, 3242.715, 5131.44, 20
3242.715, 5131.43, 3242.720, 5131.44, 30
3242.720, 5131.43, 3242.730, 5131.44, 18
3242.730, 5131.43, 3242.740, 5131.44, 10
3242.710, 5131.44, 3242.715, 5131.45, 13
3242.715, 5131.44, 3242.720, 5131.45, 17
3242.720, 5131.44, 3242.730, 5131.45, 21
3242.730, 5131.44, 3242.740, 5131.45, 14

```

()

1. Response time

()

()

$$E\% = \frac{D_{\max imum} - D_{s \tan dard}}{D_{s \tan dard}} \times 100 \quad (1)$$


$D_{\max imum}$
 $D_{s \tan dard}$

/

$$Precision\% = \frac{D_{\max imum} - D_{average}}{D_{s \tan dard}} \times 100 \quad ()$$

$D_{average}$

()





()

()

۳

($\tau = 2.3$)

/



۵

۴

1. Rise time
2. Precision
3. Constant time
4. Laplace transformation
5. Unit step input

%

$$D = \left(\frac{1}{s} \right) \left[\frac{1}{1 + \tau s} \right] \quad ()$$

s D

()

$$D(t) = A \left(1 - e^{-\frac{t}{0.04}} \right) \quad ()$$

A t D(t)

()

()




()

()

/ /

()

()	()	()	()
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/
/	/	/	/



()


()

()

/

() ()

/ /



()

() ()

/

...

:

)))

(((

/ /

/ / /

/ / /

, ()

/ / /

/ / /

() *

/

...

:

)

,

,

(

:

:

/

,

,

,


,

/

,

,

/



REFERENCES

- Clark, R.L. (1999). Evaluation of the potential to develop soil strength maps using a cone penetrometer. Paper No. 99-3109. ASAE, St. Joseph, MI.
- Clark, R.L., Kissel, D.E., Chen, F. & Adkins, W. (2000). Mapping soil hardpans with the penetrometer and soil electrical conductivity. Paper No. 00-1042. ASAE, St. Joseph, MI.
- Fulton, J.P., Wells, L.G., Shearer, S.A. & Barnhisel. R.I. (1996). Spatial variation of soil physical properties: a precursor to precision tillage. Paper No.961002. ASAE, St. Joseph, MI.
- Hemmat, A. & Adamchuk. V. I. 2008. Sensor systems for measuring soil compaction: Review and analysis. *Computers and Electronics in Agriculture*, 63, 89-103.
- Khalilian, A., Han, Y.J., Dodd, R.B., Sullivan, M.J., Gorucu, S., & Keskin, M. 2002. A control system for variable depth tillage. ASAE Paper No. 02-1209. ASAE, St. Joseph, MI.
- Morgan, M. & Ess, D. (1997). *The Precision – farming guide for agriculturists*. John Deere Publ.

...

:

- Mouazen, A.M. & Ramon, H. (2002). A numerical-statistical hybrid modeling scheme for evaluation of draught requirements of a subsoiler cutting a sandy loam soil, as affected by moisture content, bulk density and depth. *Soil & Tillage Research*, 63,155-165.
- Raper, R. L. (2005). Subsoiler shapes for site-specific tillage. *Applied Engineering in Agriculture*, 21, 25-30.
- Raper, R.L. (1999). Site-specific tillage for site-specific compaction: is there a need? In: Proceedings of *the International Conference on Dryland Conservation/Zone Tillage*, China Agriculture University, Beijing, China, pp. 66–68.
- Raper, R.L., Reeves, D. W., Shaw, J. N., Van Santen, E., Mask, P.L. (2007). Benefits of site-specific subsoiling for cotton production in Coastal Plain soils. *Soil & Tillage Research*, 96, 174-181.
- Raper, R.L., E.B. Schwab & S.M. Dabney. (2003). Spatial variation of the depth of root-restricting layers in Northern Mississippi soils. In: Proceedings of *the Second International Conference Geospatial Information in Agriculture and Forestry*, Lake Buena Vista, FL. pp.I-249-256.
- Taylor, H. M. & H. R. Gardner. (1963). Penetration of cotton seedling taproots as influenced by bulk density, moisture content, and strength of soil. *Soil Science*, 96(3), 153-156.