

()

Tetranychus urticae Koch

//

Tetranychus

() () ()

±

urticae Koch

()

±

/ / / /

/ / / /
/ / / /

:

)

.(

Tetranychus urticae Koch

() () ()

.()

T. urticae ()

.()

.()

.()

(.)

)

×

(.

(.)

(cohort)

()

()

(.) ()

±

±

()

()

(.)

()

()

()

()

()

()

(.)

... :

)

(

(x)

(N_x)

()

:

/

()

$$l_x = \frac{N_x}{N_0} \quad x$$

= l_x

= N₀

= N_x

x

x

= p_x

x + 1

$$p_x = \frac{l_{x+1}}{l_x}$$

()

x

x

= q_x

x + 1

$$q_x = 1 - p_x$$

x + 1 x

= d_x

$$d_x = l_x - l_{x+1}$$

x + 1 x

= L_x

)

(

)

(

)

(

$$L_x = l_x - \frac{d_x}{2} = \frac{l_x + l_{x+1}}{2}$$

x

= T_x

$$T_x = \sum_{y=x}^{\omega} L_y$$

x

= e_x

x

$$e_x = \frac{T_x}{l_x}$$

q_x	p_x	d_x	e_x	T_x	L_x	l_x	x
			/	/			
			/	/			
			/	/			
			/	/	/	/	
			/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
			/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
		/	/	/	/	/	


q_x	p_x	d_x	e_x	T_x	L_x	l_x	x
			/	/			
			/	/			
			/	/			
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
		/	/	/	/	/	

q_x	p_x	d_x	e_x	T_x	L_x	l_x	x
			/	/			
			/	/			
			/	/			
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
			/	/	/	/	
			/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
		/	/	/	/	/	


q_x	p_x	d_x	e_x	T_x	L_x	l_x	x
			/	/			
			/	/			
			/	/			
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
/	/	/	/	/	/	/	
		/	/	/	/	/	

(/)

/ / / /



()



()

()

()

()

()

						/					
						/ / /					
						()					
						(P<0.01)					
						(P<0.01)					
						(±)					
/ ± /	a	/ ± /	a	/ ± /	a	/ ± /	a	/ ± /	a	/ ± /	a
/ ± /	b	/ ± /	b	/ ± /	b	/ ± /	a	/ ± /	a	/ ± /	b
/ ± /	b	/ ± /	ab	/ ± /	a	/ ± /	b	/ ± /	a	/ ± /	a
/ ± /	b	/ ± /	b	/ ± /	b	/ ± /	a	/ ± /	a	/ ± /	b

%

*

REFERENCES

4. Abou-Awad, B. A., & S. A. Elswawi. 1993. Biology and life table of the predacious mite, *Agistemus exsertus* Gonz (Acari: Stigmaeidae). *Anzeiger Fur Schadlingskunde Pflanzenschutz Umweltschutz*, 66: 101-103.
5. Abou-Setta, M. M., R. W. Sorrell, & C. C. Childers. 1986. A basic computer program to calculate life table parameter for an insect or mite species. *Florida Entomologist*, 69: 690-697.
6. Boudreaux, H. B. 1963. Biological aspects of some phytophagous mites. *Annual Review of Entomology*, 8: 137-154.
7. Bovey, R. 1972. *La Defense des Plantes Cultivees*. Payot, Lausanne, 863 pp.
8. Carey, J. R. 1993. *Applied demography for biologists with special emphasis on insects*. Oxford University Press, Oxford.
9. Carey, J. R. & J. W. Bradley. 1982. developmental rates, vital schedules, sex ratios, and life tables for *Tetranychus urticae*, *T. turkestani* and *T. pacificus* (Acarina: Tetranychidae) on cotton. *Acarologia*, 23: 333-345.
10. Grissa-Lebdi, K., G. Van Impe, & P. Lebrun. 2002. Demographic traits of *Eotetranychus pruni* from Belgian and Tunisian orchards in comparison with *Tetranychus urticae*. *Experimental and Applied Acarology*, 26: 209-217.

11. Hansen, D. L., H. F. Brodsgaard & A. Enkegaard. 1999. Life table characteristics of *Macrolophus caliginosus* preying upon *Tetranychus urticae*. *Entomologia Experimentalis et Applicata*, 93: 269-275.
12. Huffaker, C. B., M. van de Vrie, & J. A. McMurtry. 1969. The ecology of tetranychid mites and their natural control. *Annual Review of Entomology*, 14: 125-174.
13. Krips, O. E., A. Witul., P. E. L. Willems & M. Dicke. 1998. Intrinsic rate of population increase of the spider mite *Tetranychus urticae* on the ornamental crop gerbera: intraspecific variation in host plant and herbivore. *Entomologia Experimentalis et Applicata*, 89: 159-168.
14. Lebrun, P., G. Van Impe., D. De Saint Georges-Grیدهlet., G. Wauthy, & H. M. Andre. 1991. The life strategies of mites. P. 1-22. In: R. Schuster and P. W. Murphy (eds.), *The Acari, Reproduction, development and life history strategies*. Chapman and Hall, London.
15. Liang, Z., B. Yue, & F. Zou. 1999. Life table studies of *Eotetranychus kankitus* (Acari: Tetranychidae) at different temperatures. *Systematic and Applied Acarology*, 4: 69-73.
16. Mattson, W. J. Jr. 1980. Herbivory in relation to plant nitrogen content. *Annual Review of Ecological System*, 11: 119-161.
17. Nachman, G. & Z. Rostislav. 2002. Interaction in a tritrophic acarine predator-prey metapopulation system: effects of *Tetranychus urticae* (Acari: Tetranychidae) on host plant condition. *Experimental and Applied Acarology*, 26: 27-42.
18. Pietrosiuk, A., M. Furmanowa, D. Kropczynska, B. Kawka, & H. Wiedenfeld. 2003. life history parameters of the two-spotted spider mite (*Tetranychus urticae* Koch) feeding on bean leaves treated with pyrrolizidine alkaloids. *Journal of Applied Toxicology*, 23: 187-190.
19. Sances, F. V., J. A. Wyman, & I. P. Ting, 1979. Physiological responses to spider mite infestation on strawberries. *Environmental Entomology*, 8: 711 – 714.
20. Shih, C. T., S. L. Poe, & H. L. Cromroy. 1976. Biology, life table, and intrinsic rate of increase of *Tetranychus urticae*. *Annals of The Entomological Society of America*, 69: 362-364.
21. Tulisalo, U. 1971. Free and bound amino acids of three host plant species and various fertilizer treatments affecting the fecundity of the two-spotted spider mite, *Tetranychus urticae* Koch (Acarina, Tetranychidae). *Annales Entomologici Fennici*, 37: 155-163.
22. Van de Vrie, M., J. A. McMurtry, & C. B. Huffaker. 1972. Ecology of tetranychid mites and their natural enemies. III. Biology, ecology, and pest status, and host- plant relations of tetranychids. *Hilgardia* 41: 343-432.
23. Watson, T. F. 1964. Influence of host plant condition on population increase of *Tetranychus telarius* (Linnaeus) (Acarina: Tetranychidae). *Hilgardia*, 35: 273-322.
24. Wermelinger, B., J. J. Oertel, & J. Baumgartner. 1991. Environmental factors affecting the life-tables of *Tetranychus urticae* (Acari: Tetranychidae). *Experimental and Applied Acarology*, 12: 259-274.