

( )

## *Pseudomonas syringae*

//

### *Pseudomonas syringae* pv. *syringae* (Pss)

*Pronus* )

( *mahaleb*

### *Pseudomonas syringae* :

( )

*Pseudomonas* ( )

( )

*P. s. pv. syringae* *syringae*

( )

*P. s. pv. morsprunorum*

*P. s. pv. persicae*

( )

( )

( )

( )

*P. s. pv. syringae*

*P. s. pv. morsprunorum*

Pss

- 
1. Nefris
  2. Fanal
  3. Rexelle
  4. Schattenmorelle
  5. Stevnsbar

...

:

( )

( , )

/

**Pss**

( )

( )

*Pseudomonas syringae* pv. *syringae*

Pss

Pss

(CFU)

*Pseudomonas syringae* pv. *syringae*

- 
1. Kelleriis 16
  2. Mazzard
  3. Colony forming unit

( )



.( , )

Pss

.( )

.( )

.( )

- 
1. Lovell
  2. Nemaguard
  3. Myrobalan
  4. Marianna

## REFERENCES

*Pseudomonas syringae*

3. Agrioss, G. N. 1988. Plant pathology. 3rd ed. Academic Press, 803pp.
4. Bech, k. 1992. Susceptibility to bacterial canker in sour cherry varieties, orchard observation & inoculation trials. Journal of phytopathol.,134:3,238-246.
5. Cameron, H. R. 1971. Effect of root or trunk stock on susceptibility of orchard trees to *Pseudomonas syringae* pv. *syringae*. Plant Disease Reporter, 55:421-423.

6. Czarnecki, B., & B. Zmudzin. 1987. Selection of mazzard cherries resistance to the bacterial canker disease – *Pseudomonas syringae* van Hall. Annals of Warsaw Agricultural University, SGGW-AR, Horticulture, no.14,9-15.
7. Endert, E., & D. F. Ritchie. 1984. Detection of pathogenicity, measurement of virulence and determination of strain variation in *Pseudomonas syringae* pv. *syringae*. Plant Disease, 68:677-680.
8. Hattingh, M. J., & I. M. M. Roos. 1995. Bacterial Canker. Compendium of stonefruit Diseases, by Ogawa, J. M., and E. I. Zehr. APS Press. 48-50pp.
9. Krzesinska, E. Z. & A. A. N. Miller. 1992. Excised twig assay to evaluate cherry rootstocks for tolerance to *Pseudomonas syringae* pv. *syringae*. Hortscience 27(2): 153-155.
10. Krzesinska, E., A. N. Zazarenko, & D. C. Gross. 1993. Inducing the syrB gene in *Pseudomonas syringae* pv. *syringae* in twig extract from cherry genotype. Hortscience, 28:4,335-337.
11. Latorre, B. A., & A. L. Jones. 1979. *Pseudomonas morsprunorum*, the Cause of Bacterial Canker of Sour Cherry in Michigan and its Epiphytic & Association with *Pseudomonas syringae*. Phytopathology., 69; 335- 339.
12. Lindow, S. E. 1983. The role of bacterial ice nucleation in frost injury to plants. Annual Review of Phytopathology, 21:363-384.
13. Melakeberhan, H., A. L. Jones, & P. Sobiczewki. 1993. Factors associated with the decline of sweet cherry trees in Michigan. Plant Disease. 77:3,266-271.
14. Mohammadi, M., A. Ghasemi, & H. Rahimian. 2001. Phenotypic characterization of Iranian strains of *Pseudomonas syringae* pv. *syringae* Van Hall, the causal agent of bacterial canker disease of stone fruit trees. Journal of Agriculture and Science Technology. Vol 3:51-65.
15. Reuveni, R. 1995. Biochemical markers for disease resistance. In:Singh, R.P., and U.S.Singh ( eds.). Molecular Methods In Plant Pathology. CRC Press, 523pp.
16. Rom, R. C., & W. R. Dozier. 1985. Rootstock effect on peach tree survival, growth and yield, A regional research. Compact Fruit tree18, 85-91,(Abst).
17. Roos, I. M. M., & M. J. Hattingh. 1983. Fluorescent *Pseudomonas* associated with bacterial canker of stonefruit in South Africa. Plant Disease, 67:1267-1269.
18. Verma, K. S. 1986. Incidence of Bacterial canker of peach in punjab .Journal of Research Punjab Agriculture University. 32:1974–77,(Abst).