

( )

\*

( // : // : )

)

(

( )

( )

/

( R = / )

( )

( )

( )

( )

( )

( )

( )

( )

( )

( )

( )

( )

( )

( )

)

(

mm<sup>2</sup>  
ASAE

(.)

(.)

)

(RPM)

(

(.)



DGPS

(EC)

(.)

( )

)

(

(.)

(John

(DGPS)

Deere Gator)

(.)

(.)



( )

)

(

/

---

cm

---



---

/ / / /

*Clayey-kaolinitic - thermic,  
Typic Paleudults*

( )

/ / / /

*Loamy-siliceous-thermic,  
Arenic Plinthic Paleudults*

( )

/ / / /

*Siliceous-thermic-coated,  
Typic Quartzipsamments*

( )

---


...

:

/


( )

SSToolbox  
(GIS)



×


DGPS



( )

QBASIC

( )



/

%

( )

)

(

( / )

( )

/ /

( )

( )

( )

( ) ( )

( )

SAS

)

( )

%

%

(

...

:

( )






( )

( )	( )	( )	( )	( )
	( )			
11/05	8 / 73 <sup>d</sup>	13/07 <sup>d</sup>	5/68 <sup>d</sup>	20
23/63	10/59 <sup>c</sup>	27/27 <sup>c</sup>	12/15 <sup>c</sup>	30
27/59	11/16 <sup>b</sup>	32/01 <sup>b</sup>	14/18 <sup>b</sup>	36
20/75				( )
41/91	14/47 <sup>a</sup>	45/57 <sup>a</sup>	21/55 <sup>a</sup>	46
	( )			
13/88	8/61 <sup>b</sup>	16/41 <sup>c</sup>	7/15 <sup>c</sup>	28
23/57	10/87 <sup>a</sup>	27/57 <sup>b</sup>	12/13 <sup>b</sup>	40
29/69	11/00 <sup>a</sup>	31/94 <sup>a</sup>	13/80 <sup>a</sup>	46
22/38				( )
28/14	11/03 <sup>a</sup>	32/23 <sup>a</sup>	14/10 <sup>a</sup>	46
	( )			
8/62	8/38 <sup>b</sup>	10/04 <sup>b</sup>	4/43 <sup>c</sup>	28
14/39	9/63 <sup>a</sup>	16/19 <sup>a</sup>	7/34 <sup>b</sup>	38
17/34	10/09 <sup>a</sup>	19/69 <sup>a</sup>	9/11 <sup>a</sup>	46
13/44				( )
18/19	10/22 <sup>a</sup>	20/88 <sup>a</sup>	9/50 <sup>a</sup>	46

LSD

%

\*



( )

( )


)

( )



(

( )





( )



(EC)

( )  
( )  
( )

/ mS/m

R = /

R = /

%

%

R = / ( )

% / % / % %

Cotton Incorporated South Carolina Cotton Board

## REFERENCES

1. Al-Janobi, A.A. & S.A. Al-Suhaibani. 1998. Draft of primary tillage implements in sandy loam soil. *Applied Engineering in Agriculture* 14(4): 343 – 348.
2. ASAE Standards. 2004a. ASAE S313.3 FEB04: Soil cone penetrometer. In: Hahn, R.H., Purschwitz, M.A., Rosentreter, E.E. (Eds.), ASAE Standards 2004. ASAE, St. Joseph, MI.
3. Clark, R.L. 1999. Evaluation of the potential to develop soil strength maps using a cone penetrometer. Presented at the 1999 ASAE Annual International Meeting, Paper No.99-3109, American Society of Agricultural Engineers. 2950 Niles Road, St. Joseph, MI 49085-9659, USA.
4. Fulton, J.P., L.G. Wells, S.A. Shearer, & R.I. Barnhisel. 1996. Spatial variation of soil physical properties: a precursor to precision tillage. Presented at the 1996 ASAE Annual International Meeting, Paper No.96-1012, American Society of Agricultural Engineers. 2950 Niles Road, St. Joseph, MI 49085-9659, USA.
5. Garner, T.H., A. Khalilian, & M.J. Sullivan. 1989. Deep tillage for cotton in Coastal Plain soils costs / returns. 1989 Proceedings, Beltwide Cotton Production Research Conferences, pp.168-171, January 1989, Nashville, TN.
6. Gill, W. R. & G. E. Vanden Berg. 1968. Soil Dynamics in Tillage and Traction. Agricultural handbook 316. Washington, D.C.: USDA-Agric. Res. Service.
7. Gorucu, S., A. Khalilian, Y.J. Han, R.B. Dodd, F.J. Wolak, & M. Keskin. 2001. Variable depth tillage based on geo-referenced soil compaction data in Coastal Plain region of South Carolina. ASAE Paper No. 011016. St. Joseph, MI: ASAE.
8. Khalilian, A., Y. J. Han, R. B. Dodd, Mike J. Sullivan, S. Gorucu, & M. Keskin. 2002. A control system for variable depth tillage. ASAE Paper No. 021209. St. Joseph, MI.: ASAE.
9. Khalilian, A., M. Jones, M. Sullivan, & J. Frederick. 2004. Comparison of strip tillage system in coastal plain soils for cotton production. Proceedings of the Beltwide Cotton Conferences, National Cotton Council of America, Memphis, TN.
10. Lund, E.D., C.D. Christy, & P.E. Drummond. 1999. Practical applications of soil electrical conductivity mapping. p.p. 771-779. In J.V. Stafford (ed.) Precision Agriculture '99- Proc. of the 2nd Eur. Conf. on Precision Agriculture. Denmark, 11-15 July 1999. SCI, Sheffield, UK.

11. Nehmdahl, H. & M.H. Greve. 2001. Using soil electrical conductivity measurements for delineating management zones on highly variable soils in Denmark. In: Grenier, G. and Blackmore, S. (eds), 2001. Proceedings of the 3rd European conference on precision agriculture, June 18-20. Montpellier, France. Vol. 1: 461-466.47
12. Palmer, A.L. & I. R. kruger. 1982. Comparative drafts of six tillage implements. Proceeding of Conference on Agricultural Engineering, 163-167, Armidale, NSW Australia, 22-24 August. Barton, Australia.
13. Raper, R.L. 1999. Site-specific tillage for site-specific compaction: Is there a need? Proceedings of the International Conference of Dryland Conservation/Zone Tillage, Beijing, China, 1999.
14. Raper, R.L., E.B. Schwab, & S.M. Dabney. 2000a. Spatial variation of the depth of root restricting layers in Northern Mississippi soils. Second Int. Conf. Geospatial Information in Agriculture and Forestry, Lake Buena Vista, FL. pp. I-249-256.
15. Raper, R.L., E.B. Schwab, & S.M. Dabney. 2000b. Site-specific measurement of site-specific compaction in the Southeastern United States. Proceedings of the 15th ISTRO Conference, Ft. Worth, TX. July 3-7.
16. Raper, R.L., & A. K. Sharma. 2004. Soil moisture effects on energy requirements and soil disruption of subsoiling a coastal plain soil. Transactions of the ASAE 47(6): 1899-1905.
17. SAS Institute Inc., SAS/STAT® User's Guide, Version 8, Cary, NC: SAS Institute Inc., 1999.
18. Sojka, R.E., W.J. Busscher, and G.A. Lehrsch. 2001. In situ strength, bulk density, and water content relationships of a Durinodic Xeric Haplocacio soil. Soil Science of American Journal, 166(8): 520-529.
19. Taylor, H.M and H.R. Gardner. 1963. Penetration of cotton seedlings taproots as influenced by bulk density, moisture content and strength of soil. Soil Science, 96: 153-156.
20. Upadhyaya, S. K., T.H. Williams, L. J. Kemble and N. E. Collins. 1984. Energy requirement for chiseling in coastal plain soils. Transactions of the ASAE 36(5): 1267-1270.