

( )

\*

( // : // : )

*Tilletia laevis* L10

*Pseudomonas fluorescens* bio I B9, *P.fluorescens* bioIII D22, *P.putida*  
*P.fluorescens* bioV E2 , bioA E16 *P.fluorescens* bioV D23,  
*P.fluorescens* bio I B9 *P.fluorescens* bioIII D22

*P.fluorescens* bioV E2 *P.putida* bioA E16  
*P .fluorescens* bioIII D22

( )

( )

(Common Bunt)

( )

P1 178383

( )

( )  
*Pseudomonas chlororaphis* MA342  
*Tilletia tritici* 10<sup>9</sup> CFU/ml  
) /  
(  
( ) ( )  
( )  
*Pseudomonas Bacillus*  
*Rhizopus Mucor*  
(Serial dilution) *T. tritici*  
( )  
*P. chlororaphis* MA342  
(King's B) ( ) *T. laevis*  
*Tilletia laevis*  
( )  
(PDA) *Tilletia laevis*  
*Tilletia laevis* L<sub>10</sub>  
( )  
( )  
(WA)  
± )  
(  
±

± )

( ) (

)

( )

( )

. ( )

(WA)

( )

% )

( )

PDA

( % ) (

( % )

WA

PDA

( )

WA

WA

PDA

( )

(PDB)

±

( )

(NA)

NA

±

( )

(  
(.)

Skimmed milk)

±

( )

King's B

±

*Geotrichum candidum*

( )

PDA

*Pseudomonas.sp* B29  
( )

MSTATC software ) MSTATC

*Pseudomonas fluorescens*

(Version, 2.1

bioIII C21

*Pseudomonas.sp* B29 *Pseudomonas.sp*.D7

*Pseudomonas fluorescens*

x )  $y = A \sin \sqrt{x}$

*Pseudomonas.putida* bio AE16 bioIII D22

*Pseudomonas.sp*.D7

( ) (

*P.fluorescens* bioIII D22

( )

*Pseudomonas.sp* F13

*fluorescens*

*Pseudomonas*

*Pseudomonas.sp*

( )

( )

*candidum*

*Pseudomonas fluorescens* bioI B9

*Geotrichum*

*P.fluorescens* bioV *Pseudomonas.sp* D4

*Pseudomonas.sp* D11 C 15

( )

*Geotrichum candidum*

( )

*Pseudomonas fluorescens* bioI B9

*Pseudomonas*

*T.laevis*

---

(	)	(	)
a		a	
i		a	<i>Pseudomonas.sp</i> D4
c		a	<i>P.fluorescens bioIII</i> C15
/ c		a	<i>Pseudomonas.sp</i> D11
/ h		b	<i>Pseudomonas.sp</i> D7
/ g		/ b	<i>Pseudomonas.sp</i> E10
f		bc	<i>Pseudomonas.sp</i> F13
c		/ bc	<i>Pseudomonas.sp</i> B14
/ bc		bc	<i>Pseudomonas.sp</i> F25
de		/ cd	<i>P.fluorescens bioIII</i> F8
/ b		/ d	<i>Pseudomonas.sp</i> B29
/ d		/ e	<i>P.fluorescens bioIII</i> C21
/ ef		/ ef	<i>P.fluorescens bioV</i> D23
/ ef		ef	<i>P.fluorescens bioV</i> E2
c		/ f	<i>P.putida bioA</i> E16
/ j		f	<i>P.fluorescens bioIII</i> D22
/ h		/ f	<i>P.fluorescens bioIII</i> E6
ij		/ g	<i>P.fluorescens bioI</i> B9

---

/

/

(p< / )

... :

*Pseudomonas*

*T.laavis*

( )	
a	a
a	/ b
a	/ bc
a	/ b
/ cd	/ bcd
a	/ bc
a	/ b
a	g
/ bc	e
a	/ b
/ bcd	de
a	/ cde
a	ef
/ bc	/ b
a	/ bc
a	/ bcd
/ d	cde
/ bc	/ fg

a  
a  
a  
a  
/ b  
bc  
/ bc  
cd  
cde  
def  
/ defg  
/ efg  
/ fg  
/ fg  
/ gh  
ghi  
/ hi  
/ i

*Pseudomonas.spF13*  
*Pseudomonas.spB29*  
*Pseudomonas.spD11*  
*P.fluorescens bioIII-C15*  
*Pseudomonas.spB14*  
*Pseudomonas.spD7*  
*P.putidas bioA E16*  
*P.fluorescens bioIII-E6*  
*Pseudomonas.spD4*  
*P.fluorescens bioV-D23*  
*P.fluorescens bioIII-F8*  
*P.fluorescens bioV-E2*  
*Pseudomonas.spF25*  
*Pseudomonas.spE10*  
*P.fluorescens bioI-B9*  
*P.fluorescens bioIII-C21*  
*P.fluorescens bioIII-D22*

(p<

<i>Pseudomonas</i>	( )	(+)	-	
ppm	ppm	ppm	ppm	ppm
				<i>P.fluorescens bioV.E2</i>
			+	<i>Pseudomonas.sp D4</i>
			+	<i>P.fluorescens bioIII C21</i>
				<i>P.fluorescens bioIII E6</i>
				<i>Pseudomonas.spD7</i>
+	+	+	+	<i>P.fluorescens bioIII F8</i>
				<i>P.fluorescens bioI B9</i>
				<i>Pseudomonas.spE10</i>
				<i>Pseudomonas.spD11</i>
+	+	+	+	<i>Pseudomonas.spF13</i>
				<i>Pseudomonas.spB14</i>
				<i>P.fluorescens bioIII C15</i>
				<i>P.putida bioA E16</i>
				<i>P.fluorescens bioIII D22</i>
				<i>P.fluorescens bioV D23</i>
				<i>Pseudomonas.spF25</i>
				<i>Pseudomonas.spB29</i>

(+) *Pseudomonas*  
*Geotichum candidum* ( )

( )				
+	+	+	+	<i>P.fluorescens</i> bioV E2
+	+	+	+	<i>Pseudomonas</i> .spD4
				<i>P.fluorescens</i> bioIII E6
				<i>Pseudomonas</i> .spD7
				<i>P.fluorescens</i> bioIII F8
				<i>P.fluorescens</i> bioI B9
+	+	+	+	<i>Pseudomonas</i> .spE10
				<i>Pseudomonas</i> .sp D11
+	+	+	+	<i>Pseudomonas</i> .spF13
+	+	+	+	<i>Pseudomonas</i> .spB14
				<i>P.fluorescens</i> bioIII C15
+	+	+	+	<i>P.puyida</i> bioA-E16
+	+	+	+	<i>P.fluorescens</i> bioIII C21
				<i>P.fluorescens</i> bioIII D22
+	+	+		<i>P.fluorescens</i> bioV D23
+	+	+	+	<i>Pseudomonas</i> .spF25
+	+	+	+	<i>Pseudomonas</i> .spB29

*T.laevis*

*Pseudomonas*

( + )			
/ def	<i>P.E6</i>	a	<i>P.B29</i>
/ efg	+ <i>P.E10</i>	a	<i>P.E2</i>
/ fgh	+ <i>P.E2</i>	/ abc	+
/ fghi	+ <i>P.F13</i>	/ abc	<i>P.E10</i>
/ fghi	+ <i>P.C4</i>	a	<i>P.D7</i>
/ fghi	+ <i>P.B29</i>	a	<i>P.D23</i>
fghij	+ <i>P.D7</i>	a	<i>P.C4</i>
fghij	+ <i>P.B14</i>	a	<i>P.F13</i>
fghij	+ <i>P.F8</i>	a	<i>P.D11</i>
fghij	+ <i>P.D11</i>	a	<i>P.E16</i>
fghij	+ <i>P.C15</i>	/ bcde	<i>P.C21</i>
/ fghij	+ <i>P.F25</i>	/ bcd	<i>P.D22</i>
/ ghijk	+ <i>P.E16</i>	/ bcd	<i>P.B14</i>
/ hijk	+ <i>P.B9</i>	/ bcd	<i>P.F25</i>
/ ghijk	+ <i>P.E6</i>	/ bcde	<i>P.F8</i>
ijk	+ <i>P.D23</i>	/ bcde	<i>P.B9</i>
jk	+ <i>P.C21</i>	/ def	<i>P.C15</i>
/ k	+ <i>P.D22</i>	/ cde	

/

(p < / )

E16 = *P.putida* bio A ; D22 = *P.fluorescens* bio III ; B9 = *P.fluorescens* bio I  
D23 = *P.fluorescens* bio V ; C21 = *P.fluorescens* bio III ; E2 = *P.fluorescens* bio V  
F8 = *P.fluorescens* bio III ; E6 = *P.fluorescens* bio III ; C15 = *P.fluorescens* bio III

*Pseudomonas*. sp



...

:

*Pseudomonas*

2,4-diacetyl

( )

*phloroglueinol*

*P.fluorescens*

bioIII D22

( )

( )

( )

*Pseudomonas*

( )

*Pseudomonas*

*Thielaviopsis basicola*

( )

( )

2-79

*P.fluorescens*

King's B

*Tilletia laevis*

( )

*Geotrichum candidum*

( )

( )

*Pseudomonas fluorescens* bioI B9

## REFERENCES

*Trichoderma*

4. Askeland, R.A. & S.M. Morrison. 1983. Cyanide production by *Pseudomonas fluorescens* and *Pseudomonas aeruginosa*. *Applied and Environmental Microbiology*. 45: 1802-1807.
5. Baker, K. F. 1987. Evolving Concepts of biological control of plant pathogens. *Annual Review of Phytopathology*, 25: 67-85.
6. Bakker, P. A. H. M., R. V. Peer. & B. Schippers. 1991. Suppression of soilborn plant pathogens by fluorescent pseudomonas mechanism and prospect. In *Biotic interaction and soilborn disease*. Elsevier Science Publisher, 1991. USA.
7. Becker, J & H. Weltzien. 1998. Biological control of common wheat bunt (*Tilletia caries*) through stimulation of antagonists by seed treatment with nutrients. *Smut fungi 98 Meeting Abstract*.
8. Berg, G. & B. Ballin. 1995. Bacterial antagonists to *Verticillium dahliae* kleb. *Phytopathology*. 141: 99-110.

9. Borgen, A. & M, Davanlou. 2000. Biological control of common bunt in organic agriculture. *Journal of crop production*. 3(5): 159-147.
10. Burges, H.D. 1998. *Formulation of Microbial Biopesticides. Beneficial Microorganism, Nematodes, and Seed Treatment*. Kluwer Academic publisher, Dordrecht. 512pp.
11. Dhingra, O. O. & J. B, Sinclair. 1995. *Basic Plant Pathology Methods*. CRC Press. Boca Raton, Florida, 432pp.
12. EL-Naimi, M., R. Hala .& O.F, Mamluk. 2000. Organic seed treatment as a substitute for chemical seed-treatment to control common bunt of wheat. *European Journal of Plant Pathology*. 106: 433-437.
13. Fiddaman, P. J. & S, Rossal. 1994. Effect of substrate on the production of antifungal volatiles from *Bacillus subtilis*. *J. App. Bacteriol.* 76: 395-405.
14. Hoffmann, J. A. 1982. Bunt of wheat. *Plant Disease*. 66: 979-987.
15. Johnsson, L., M, Hokeberg. & B, Gerhadson. 1998. Performance of the *Pseudomonas chlororaphis* biocontrol agent MA342 against cereal seed-borne disease in field experiments. *Eur. Journal of Plant Pathology*. 104: 701-711.
16. Kraus, J. & J.E, Loper. 1990. Biocontrol of Pythium damping-off cucumber by *Pseudomonas fluorescens* pf-5: Mechanistic study. pp: 172-175. In Laemmli, V. K. 1970. Cleavage of structural proteins during the assembly of head of bacteriophage T<sub>4</sub>. *Nature*, 227: 680-685.
17. Laemmli, V. K. 1970. Cleavage of structural proteins during the assembly of head of bacteriophage T<sub>4</sub>. *Nature*, 227: 680-685.
18. Liu, H., X, Pan., X, Zhang. & J, Wang. 1995. Experiments on *Bacillus* strain producing antagonistic protein. *Chinese Journal of Biological Control*, 11: 160-164.
19. Mamluk, O.F. & A, Zahour, 1993. Differential distribution and prevalence of *Tilletia foetida* and *T. caries* Tul on bread wheat and durum wheat. *Phytopathology*. 32: 25-32.
20. Mcmanus, P., A, Ravenscroft. & D, Fulbright. 1993. Inhibition of *Tilletia laevis* teliospore germination and suppression of common bunt of wheat by *P fluorescens* 2-79. *Plant Disease*. 77: 1012-1015.
21. Niemann, E. 1956. Taxonomy and germination of physiology of the *Tilletia* species of cereals and wild grasses. *Phytopathology*. Z. 28: 113-166.
22. Schaad, N. W., J. B, Jones. & W, Chum. 2001. *Labratory Guid for Identification of Plant Pathogenic bacteria*. Thrird eds. Amer. Phytopathol. Soc. St. Paul Minnesota. USA 397 pp.
23. Singh, V. & B. J, Deverall. 1984. *Bacillus subtilis* as a control agent against fungal pathogens of citrus fruit. *Trans. Br. Mycol. Soc.* 83(3): 487-490.
24. Vidavaer, A.K. 1983. Bacteriocins: the lure and the reality. *Plant Disease*. 67: 471-475.
25. Weller, D.M. & R.J, Cook. 1983. Suppression of take-all of wheat by seed treatment with *fluorescens pseudomonas*. *Phytopathology*. 73: 463-469.
26. Weller, D.M., B. X, Zhang. & R. J, Cook. 1985. Application of rapid screening test for selection of bacteria suppressive to take-all of wheat. *Plant Disease*. 69: 710-713.
27. Wilcoxson, R. O. & E. E, Saari. 1996. *Bunt and Sumt Diseases of Wheat Concepts and Methods of Disease Manegment*. Mexico, D. F. CIMMYT. 66 pp.