

()

*

(// : // :)

) NAA IBA

(

P. glauca 'Albertiana Conica', *P. abies* 'Ohlendorffii' and)

(*P. pungens* 'Koster'

%

IBA

(% /)

IBA

IBA

IBA % /

glauca IBA

:

(,)

()

(.)

(.)

()

۲

۳

(,)

(.)

(*Pseudotsuga menziesii*)

(*Pinus taeda*)

(*Picea abies*)

-
2. Indolebutyric acid
 3. Naphtaleneacetic acid

E-mail: Sreezi57@yahoo.com

1. Callus

:

:

*

IBA

.()

.()

(*Cupressus leylandii*)

.(,)

%

.()

%

%

(*Picea sitchensis*)

.()

.()

()

.(,)

.(,)

.()

)^۲

)^۴

(-)^۳

(

)

(

(

.(,)

/

IAA NAA IBA

/

.()

/

- NAA

/

IAA

.(,)

.()

2. *Cedrus deodara*
3. *Picea abies*
4. *Abies amabilis*
5. Active Charcoal

1. *Picea glauca*

()

()

IAA NAA IBA

(,)

P. glauca

()

P.glauca) (*P. abies* 'Ohlendorffii'
(*P. pungens* 'Koster') ('*Albertiana Conica*'

()

()

IBA NAA

% % /

NAA

IBA

/

(,)

IBA

IBA /

NAA / NAA
() ()
IBA
()

(.) IBA
IBA
NAA
() (.)
IBA
() (.)

()
IBA
()
IBA
(,)
%

()
()

%

%

%

IBA

...

()

IBA

NAA

()

IBA ()

IBA

()

()

%

%

()

IBA

()

()

()

(%)	()	(%)	
/ bc	/ d	/ e	/ f*
/ g	/ h	/ h	/ k
/ f	/ f	/ f	/ i
/ e	/ e	/ d	/ e
/ f	/ ef	/ e	g
/ a	/ f	/ cd	/ h
/ b	/ g	/ bc	/ b
/ a	/ a	/ a	/ c
/ a	/ c	/ b	/ a
/ d	/ b	/ b	/ d
/ c	/ gh	/ fg	/ j
/ g	/ h	/ h	/ k
/ h	/ gh	/ gh	/ j

N1: NAA

N2: NAA

N3: NAA

N4: NAA

B1: IBA

B2: IBA

B3: IBA

B4: IBA

Tb1: / IBA

Tb2: IBA

Tn1: / NAA

Tn2: NAA

(%)	()	(%)
/ A	/ a	/ a
/ A	/ a	/ b
		/ b*
		/ a

%

*


IBA

IBA

()

()

IBA



REFERENCES

IBA

- Allan J. 2002. The Technology of Clonal Forestry of Conifers. Forest Research, Northern Research Station. Scotland. EH26 OLN. Proceedings, Int. For. Nur. Association. 89: 14-18.

3. Anne, M., M. Wagner., J. T. Fisher, & G.A Fancher. 1989. Vegetative propagation of 10-year-old Blue spruce by stem cuttings. Landis , T.D., Technical coordinator. 50 pp.
4. Arteca, N. R. 1995. Plant Growth Substances. Cambridge University Press. 289 pp.
5. Beeson, R. C. & W. M. Proebsting. 1990. Propagation tips blue spruce. American, Nurseryman. 172: 86.88.
6. Copes D. L. & N. L. Mandel. 2000. Effects of IBA and NAA treatments on rooting Douglas-fir stem cuttings. New Forests. 20: 249-257.
7. Garanovich, J. M. & M.V. Shurvko. 2002. Optimization of the technology for vegetative propagation of spruce in Belarus. Lesnoe Khozyaistvo. (5): 32-33.
8. Hamann A. 1998. Adventitious root formation in cuttings of loblolly pine (*pinus taeda* L.): developmental sequence and effects of maturation. Trees. 12:175-180.
9. Hartmann, H. T., D.E. Kester, & F.T. Davies, 1997. Plant Propagation, Principles and Practices, 5th ed. Prentice-Hall, Inc. 647 pp.
10. Humphries, C. J., J. R. Press., & D. A. Sutton. 1993. Trees of Britain and Europe. Oxford Publishers.
11. Kleinschmit, J. 1980. The effect of soil heating and rooting medium on the rooting of Norway spruce and Douglas-fir cuttings. Silviculture and Forest Management (kk 110).
12. Kroin, J. 1992. Advances using Indolde-3-butyric Acid (IBA) dissolved in water for rooting cuttings, transplanting and grafting . Hortus USA Crop. New York.
13. MacDonald, B. 2000. Practical Woody Plant Propagation for Nursery Growers. Timber Press.
14. Selby, C. & S. J. Kennedy. 1992. Adventitious root formation in hypocotyl cuttings of *Picea sitchensis*: The influence of plant growth regulators. Newphytol. 120: 453-57.
15. Shamet, G. S. & S. D. Bhardwaj. 1995. Vegetative propagation of deodar, spruce and silver- fir using stem cuttings under intermittent mist. Van Vigyan 33(2): 80- 84.
16. Wigmore B.G. & G.H. Woods. 2000. Cultural procedures for propagation of rooted cuttings of Stika spruce, western hemlock and douglas-fir in British Columbia. Res. Br., B.C. Min. For., Victoria, B.C. Work. Pad. 46/2000.