

( )

**N, P, K**

**(Tulip cv: hybrid darwin Apledoorn)**

\*

( // : // : )

**N, P, K**

( ) : **N, P, K**  
( / / meq/l) **N,P,K** ( / / meq/l) **N,P,K**  
meq/l) **N,P,K** ( / / meq/l) **N,P,K**  
( / / /

**K P**

**K P**

**N,P,K**

( / / meq/l) **N,P,K**  
(p<1%)

( )  
kg/ha kg/ha  
kg/ha  
) )  
( (

( )

( )

( )

$\frac{kg}{ha}$

( )

$^{\circ}C$

( )

:

( / / meq/l) N,P,K ( )

( / / meq/l) N,P,K ( )

( / / / meq/l) N,P,K

( / / / meq/l) N,P,K

( )

( )

N,P,K

( )

( )

( )

%

( )

( )

... N, P, K

:




( )  
( )  
( )  
( )

SAS

SAS



( )

( )  
( )  
( / )




( )

( )



.




.

( )

( )

( )



.

... N, P, K

:

( )

( )


( )

( )


( )

( )

( )



( )



( )

( )

( )

( )

*Curcum alismatifolia*

( )

( )

( )

SAS

(MS)

/	ns	/	ns	/	ns	/	*	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns
/	**	/	**	/	**	/	**	/	ns	/	**	/	**	/	**	/	**	/	**
/	**	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns	/	*
/		/		/		/		/		/		/		/		/		/	
	%		**		%		*												ns

REFERENCES

5. Bailey, L. H. 1949. Manual of cultivated plants, Macmillan Company New York.
6. Black, C. A. 1968. Soil-Plant relationships. John Wiley and Sons, Inc., New York.
7. Bottril, D. E., J. V. Possigham & P. E. Kriedmann. 1970. The effect of nutrient deficiencies on photosynthesis and respiration on spinach. Plant soil 33: 424 – 438
8. Cheal, w.f. & G.W. Winsor. 1966. The effects of nitrogen, phosphorus, potassium and magnesium on the grows of tulip during the second season of treatment and on the chemical composition of the bulbs. Ann. Appl. Biol. 57:287-299
9. Cocozza Talia, M. & Caputo, V. 1980. A research on the possibility of using gibberellins for tulip forcing. Acta Hort.109:163-168

10. De Hertogh, A.A. & L.H. Aung. 1982. The tulip botany, usage growth, and development. 5:45-125
11. De Hertogh, A.A. & L.H. Aung. 1993. The physiology of flower bulbs. Pp. 662-682
12. De Hertogh, A.A. 1997. Technologies for forcing flower bulbs. Acta Hort 430:175-182
13. De Munk, W.J., Hoogeterp, P. & G. Slootweg. 1980. Effects of nitrogen dressing on flower-bud blasting in tulips during forcing. Acta Hort 109:81-88
14. Groen, N.P.A. & J.H.G. Slangen. 1990. Nitrogen-fertilizer recommendations for gladiolus based on N-mineral soil analysis. Acta Hort 266:375-380
15. Hagiya, K. & W. Amaki. 1966. Nutritional studies on tulips. The leaching of three major elements from the soil during the growing season. J.japan.Soc. Hort. Sci. 35: 309-316
16. Le Nard, M. & A. A. De Hertogh. 1993. The physiology of flower bulbs. Elsevier. Pp 617-682
17. Mallic, R., K.C. Mohapatra., P.K.S. Samanta. & P.C. Lenka. 2001. Effects of different levels of N, P and K on flowering of gladiolus (*gladiolus grandiflorus L.*). Orissa Journal of Horticulture. 29 (2): 93-96
18. Ruamrungsri, S., Suwanthada, C., Apavatjirut, P., Ohtake, N., Sueyoshi, & T.Ohyama. 2005. Effect of nitrogen and potassium on growth and development of *curcum aalismatifolia* gagnep. Acta Hort 673:443-448
19. Tissot, R.E. 1980. Fertilization of *Tulipa gesneriana* cv. Paul Richter during forcing and field culture. MS Thesis, N.C.State University, Raleigh, N.C.
20. Van der Valk, G.G.M. 1997. Leaf development, dry-matter production and bulb production of some tulip Cultivars. Acta Hort. 109:27-34

