

( )

***Brevipalpus obovatus* Donnadieu**

(Acari: Tenuipalpidae)

( / / : / / : )

***Brevipalpus obovatus***

/ ± / ± / ±

±

/ ± /  
( )

/ / / / ± / ± / ±

***Brevipalpus obovatus* :**

( )

*Pinus radiata*

( )

)

(...

*Brevipalpus obovatus* Donnadieu

(Cosmopolitan)

(Scarlet mite)

( ) (*Ligustrum*)

( ) ( )

( )

( )

*B. obovatus*

( )

( )

(.)

(.)

(Thelytoky)

(.)

/ ±

( )

±

*B. phoenicis* *B. obovatus*

( )

±

*Oligonychus coffeae*

*B. obovatus*

/ /

(.)

/ ±

/ ±

/ ±

±

/

... :  
/ ±  
) / ± / ± /  
/ ± / / ( /  
/ ± / / / ±  
/ ) /  
(Deutochrysalis) .(  
/ ±  
/ ± /  
/ ± / /  
/ / /  
) / ± /  
/ ± /  
/ / / / ±  
(Nymphochrysalis)  
(Teliochrysalis)  
/ ± / ±  
/ ± / / / ±  
/ / ± /  
/ ± / ± /  
( ) .( )  
( ) .( )

$l \pm$

)  
 $l \pm$       $l$      ( $l \pm$ )  
    $l$   
 $l \pm$       $l \pm$

$l$       $l \pm$   
    $l$   
    $l$       $l \pm$

(     )

$l \pm$   
 $l$       $l$      ( $l \pm$ )  
 $l$       $l \pm$   
    $l \pm$       $l$   
    $l$       $l$       $l$

$l \pm$   
 $l$       $l$       $l$   
    $l$       $l$       $l$   
    $l$       $l$       $l$   
    $l$       $l$       $l$   
    $l$       $l$       $l$   
    $l$       $l$       $l$

(Hysterosoma)  
(Gnathosoma)

(Teliochrysalis)

(Postpedal)

)

(

(     )

(     )

(     )

$l \pm$

$l$

$l \pm$

$l$

$l$

(Thelytoky)

/ ±

*B. obovatus*

(Bisexual)

( )

<i>B. obovatus</i>		<i>B. obovatus</i>	
/ ±	/ ±	/ ±	/ ±
/ ± °C		/ ± °C	
/ ± /		/ ± /	
/ ± /	/	± /	/ /
/ ± /	/	/ ± /	/ /
/ ± /		/ ± /	/
/ ± /	/ /	/ ± /	
/ ± /		/ ± /	/ /
/ ± /		/ ± /	
± /		/ ± /	
/ ± /		/ ± /	
/ ± /	/ /	/ ± /	/ ( )
/ ± /	/ /	/ ± /	/ ( )

*B. obovatus*

±

<i>B. obovatus</i>		<i>B. obovatus</i>	
/ ±	/ ±	/ ±	/ ±
± /	/	± /	/
/ ± /		/ ± /	
± /	/ /	/ ± /	/
± /	/ /	/ ± /	/
±		/ ± /	/
± /	/ /	/ ± /	
± /	/	/ ± /	/
		/ ± /	/
		/ ± /	
		/ ± /	( )
/ ± /	/ /	/ ± /	( )

/ ± / ± / ± *B. obovatus*

±

---



---

/ ± /	± /	/ ± °C
/ ± /	/ ± /	/ ± °C
/ ± /	/ ± /	/ ± °C

---

*B. obovatus*

(% = )

---



---


/ a	/ a	/ a	a	/ a	/ a	/ a	/ a	/ a	/ a	/ a	/ ± °C
/ b	/ b	/ b	/ b	/ b	/ b	/ b	/ b	/ b	/ b	b	/ ± °C
/ c	/ b	/ b	/ c	/ c	/ b	/ b	/ b	/ b	c	/ c	/ ± °C

---



---

( )  
( )



*B. obovatus*

±

*B. obovatus*

±

---

( ) ( )	/	//	//
	/	//	//
	/	//	//
	/	//	//
	/	//	//
	/	//	//
	/	//	//
	/	//	//
	/	//	//
	/	//	//
	/ ±		

---

/ ±

/ ±

± / ±

/

( )

**REFERENCES**

*Oligonychus ununguis*

*Brevipalpus obovatus*

8. Benjamin, D. M. 1968. Insects and mites on tea in Africa and adjacent islands. *East African Agric & Forest. Jour.*, 33: 345-57.
9. Danthanarayana, W. & D. J. W. Ranaweera. 1970. The red spider mite and Scarlet mite of tea and their control. *Tea Q.* 41: 19-33.
10. Pijnacker L.P., M.A. Ferwerda, H.R. Bolland & W. Helle. 1980. Haploid female parthenogenesis in the false spider mite *Brevipalpus obovatus* (Acari: Tenuipalpidae). *Genetica*, 51(3): 211-214.
11. Ramlogun, H.G.S. 1971. The pests and diseases of tea in Mauritius. *Revue Agricole et Sucriere de l'île Maurice*, 50: 48-67.
12. Rattan, P.S. 1992. Pest and diseases control in Africa: Willson, K.C. and Clifford, M.N. (Eds.). *Cultivations to Consumption*. Chapman & Hall. London. 337-352.
13. Trindade M.L.B. & L.G. Chiavegato. 1994. Biological characteristics of the mites *Brevipalpus obovatus* D., *B. californicus* B. and *B. phoenicis* G. (Acari: Tenuipalpidae). *Anais da Sociedade Entomologica do Brasil*, 23(2): 189-195.

