

-
:
/ / :
/ / :

-
± /
/ ± / , / ± / , /
()
() -
B A (/ ± /)
(/ ± / - / ± /)
(P < /)

– (, , , , ,)

()

– –

– (,)

)

/

(,)(

()

(,)

(.)

()

(.)

(.)

-

(B A)



()

()

, (**Seca**)

(ACSM)

.()

.()

()



:

A: CFR = / - / * ()

B: CFR = / - / * ()

-

)

() (r² r,SEE

() -

-

MedCalc(8.2.1.0)

(/)	()	()	()
/ ± /	/ ± /	/ ± /	/ ± /


,(,)

A) ,




-

(B

1- Agreement
2- Bland – Altman (1986)



			%		
/	/	/	/ /	/	-C
/	/	/	/ /	/	-A
/	/	/	/ /	/	-B



() A

()

-

() (B)

(X)

()

- ()

(y)


-

-

-



()
() (%)



()

-

-

()
()

-

:


$$- = / - / * ()$$

A

$$- = / - / * ()$$

B

$$- = / - / * ()$$



()B

()A

()C

-

% , -
()

	%		
P< /	/ /	/	C
P< /	/ /	/	A
P< /	/ /	/	B

T , , -
()

	T			
P< /	/	/	/	C
P< /	/	/	/	A
P< /	/	/	/	B

-

- (C)
()

- % .()

- (C)
()

(C)

-



() ,

-

(, , , ,)

,A

()

,

.

,A

,

A

.

,

-

-

-

()

-

.

"() ,

, , , , ,

:(-)

-
3. American College of Sports Medicine. (2000). "ACSM'S guidelines for exercise testing and prescription (6th ed)". Philadelphia PA: Lippincott Williams & Wilkins :91.
 4. American College of Sport Medicine. (1990). "ACSM'S guidelines for exercise testing and prescripting. 4th edition, lea and febiger, P:148.
 5. Arrais GA, Wigle DT, and Mao Y. (1992). "Risk assessment of physical activity and physical fitness in the Canadian Health survey follow up study". *J Clin Epidemiol* ; 45: PP:419-28.
 6. Blair S.N. Kohl H.W. (1989). "Physical fitness and all cause mortality : a prospective study of Health men and women". *J of the American Medical Association*; 262 : PP:2395-2401.
 7. Blair , S.N. Kohl, H.W., Gordon, N.F., & Paffenbarger, R.S. (1992). "How much physical activity is good for health? Annual Review of public Health, 13, PP:99-126.
 8. Blair S.N., Ming, W., and chong, D.L (1998). "Cardiorespiratory fitness determined by exercise heart rate as a predictor of mortality in the aerobic center longitudinal study". *J Sport sci*; 16, PP: S47-S55.
 9. Bland, M.J. & D.G. Altman, (1986). "Statistical methods for assessing agreement between two methods of clinical measurement". *The Lancet*, PP:1307-310.
 10. Bradshaw DI, George JD, Hyde A, Lamonte MJ, Vehrs PR, Hager RL, Yanowitz FG. (2005). "An accurate VO₂max nonexercise regression model for 18-65-year-old adults". *Res Q Exerc Sportt.*;76(4) : PP:426-32.
 11. Byrne NM. Hills AP, Hunter GR, Weinsier RL, Schutz Y. (2002). "The metabolic equivalent : One size does not fit all". *J Appl Physiol*. 14; [Epub ahead of print].
 12. Donald C. Dibloo and Jeffery K. Moffit (2003). "A comparison of bioelectrical impedance and NEAR-Infrared Interact ance to skinfold measures in determining minimum wrestling weight in collegiate wrestlers". *International Electronic Journal Vol. 6. No.2* : PP:26-36.
 13. Ekelund L.G., Haskell WL. (1988). "Physical fitness as a predictor of cardiovascular mortality in asymptomatic North American men". *N Eng J Med*, 319 : PP:1379-84.

-
14. Franz X. Kleber . (2004). "The predictive value of cardiorespiratory fitness". *European Heart Journal* 25, PP: 1374-1375.
15. Gibbons L, Blair SN, Kohl HW, Cooper K (1989). "The safety of maximal exercise testing". *Circulation*; 80 : PP:846-852.
16. Hien H.O. (1992). "Physical fitness or physical activity as a predictor of ischemic heart disease". *J intern Med*, 232; PP:471-9.
17. James D.G., Pat R.V. & Garth J.B. (2000). "A modified submaximal cycle ergometer test designed to predict treadmill VO_{2max} , Vol, 4, PP:229-243.
18. Lie H. Mundal R.and Erikssen J. (1985). "Coronary risk factor and incidence of coronary death in relation to physical fitness". *Eur heart J*, 6 : PP:147-57.
19. Seefeldt V, RM Malina, and MA Clark. (2002). "Factors affecting levels of physical activity in adults". *Sports Med.* 32; PP:143-168.
20. Slattery, M.L. Jacobs, D.R.Jr. (1988). "Physical fitness and cardiovascular disease mortality"; the US railroad study *Am J Epidemiol*, 127;PP:601-10.
21. Spangler, R.D. (1970). "A submaximal exercise electrocardiographic test as method of determining occult ischemic heart disease". *Am Heart J* 80: PP:725-58.
22. Thomas, J.R.& J.K. Nelson . (1990). "Research methods in physical activity". 2th ed, Chmpaign : *Human Kinetics*. PP:129-178.
23. Wei M.JB Kamper T, CE Barlow, MZ Nichaman, LW Gibbons, RS Paffenbarger Jr, ans SN Blair. (1999). "Relationship between low cardiorespiratory fitness and mortality in normal-weight, overweight, and obese men". *JAM A.* 282; PP:1547-1553.
24. Young DZ, Lampert S, Graboys TB, Lown B. (1984). "The safety of maximal exercise testing in patients at high risk for ventricular arrhythmia; 70;PP:184-191.