

E-mail: lotfinia-iraj@tbzmed.ac.ir

// : // : / / :

/ / % /) % /) / =d :

.() ()

č . () :

. ()
(č)

/ ()

(% /)

č

()

(% /)

/)

()

(č

(.)

(% /č)

č

MRI

MRI

(% /)

(%č /)

/

/

č
/ ()
(.)

()

(.)

		L L÷	+		
		L L÷	+		
		L÷ S	+	÷	
		L÷ S	+		
		L L ÷	+		÷
		L L÷	+		
		L L÷	+		
	L÷ S	L L÷	+		
	L÷ S	L L÷	+		
	L L	L÷ S	+		
	L L÷	L÷ S	+		
	L L÷	L L÷	+		
	L L÷	L L	+	÷	
	L L	L L÷	+		
	L÷ S	L L÷	+		÷
	L L÷	L÷ S	+	÷	
L L÷	L L÷	L÷ S	+	÷	
	L L÷	L L÷	+		
	L L÷	L L÷	+		
	L L÷	L L÷	+		
	L L÷	L÷ S	+		
	L÷ S	L L÷	+		
	L L÷	L L÷	+	÷	
	L L÷	L L÷	+		÷
	L L÷	L L÷	+		
	L L÷	L÷ S	+		
	L÷ S	L÷ S	+	÷	
	L L÷	L L÷	+		
	L÷ L	L÷ L	+		
	L÷ L	L÷ L	+		
	L÷ L	L÷ L	+	÷	
	L L÷	L L÷	+	÷	
	L L÷	L L÷	+		÷
	L S	L S	+	÷	

(.) (.)

(.)

CT Scan MRI

(.) (.)

C-Arm

(.) (.) (.)

(.)

(.)

(.)

(.)

(.)

(.)

(.)

(.)

MRI

MRI

(.)

(.)

MRI

(.)

(.)

(.)

(.)

References

1. Young J, Shaffrey C, Laws E, Lovell L. Lumbar disc surgery in a fixed compensation population: a model for influence of secondary gain on surgical outcome. *Surg neurol* 1997; 48:552-9
2. Eule J, breeze R, Kindet G. Bilateral partial laminectomy: a treatment for lumbar spinal stenosis and midline disc herniation. *Surg neurol* 1999; 52:329-38
3. Slavin K, Raja A, Thornton J, Wagner F. Spontaneous regression of a large lumbar disc herniation: report of an illustrative case. *Surg neurol* 2001; 56:333-37
4. Benoist M. The natural history of lumbar disc herniation and radiculopathy. *Joint bone spine* 2002; 69:155-60
5. Alex M, Eric L, Nicole U, Richard D. Cost-effectiveness of lumbar discectomy for the treatment of herniated intervertebral disc. *Spine* 1996; 21(9):1048-54
6. Padua R, Pauda S, Romanini E, Pauda L, Santia E. Ten- to 15-year outcome of surgery for lumbar disc herniation: radiographic instability and clinical findings. *Eur Spine J* 1999; 8:70-74.
7. Aydin Y, Ziyal I, Duman H, Turkmen C, Basak M, Sahin Y. Clinical and radiological results of lumbar microdiscectomy technique with preserving of ligament flavum comparing to standard microdiscectomy technique. *Surg neurol* 2002; 57:5-14.
8. Etsuro Y, Kazuhiro C, Yoshiaki T, Kiyoshi H. Long-term outcome of standard discectomy for lumbar disc herniation: a follow-up study of more than 10 years. *Spine* 2001; 26(6): 652-657.
9. Song J, Park Y. Ligament-sparing lumbar microdiscectomy: technical note. *Surg neurol* 2000; 59:2-7.
10. Swatz K, Trost G. Recurrent lumbar disc herniation. *Neurosurg focus* 2003; 15(3) article 10.
11. Gordon F, Bruce H, Sele M, Mauricio O, Simon F. A 10-year follow-up of the outcome of lumbar microdiscectomy. *Spine* 1998; 23(10): 1168-1171.
12. Soo S, Mo L, Hwan M, Hyun K. Recurrent lumbar disc herniation: results of operative management. *Spine* 2001; 26(6): 672-76.
13. Aronoff G, Dupuy D. Evaluation and management of back pain: preventing disability. *Journal of back and musculoskeletal rehabilitation* 1997; 9: 109-24.
14. Isaacs R, Podichetty V, Fessler R. Microendoscopic discectomy for recurrent disc herniation. *Neurosurg focus* 2003; 15(3) article 11.
15. Ivanic G, Pink T, Homann N, Scheitza W, Goyal S. The post-discectomy syndrome. aetiology, diagnosis, treatment, prevention. *Arch orthop trauma surg* 2001; 121:494-500.
16. Mofidi A, Oconnor D, El-abad K, McCabe J. Functional outcome study of patients after surgical decompression for lumbar spinal stenosis: effect of concomitant pathology. *J spinal disord tech* 2002; 15(5): 377-388.
17. Goodkin R, Laska L. Vascular and visceral injuries associated with lumbar disc surgery: medicolegal implications. *Surg neurol* 1998; 49:358-372.
18. Bernsmann K, Kramer J, Ziozios I, Wehmeier J, Wiese M. Lumbar micro disc surgery with and without autologous fat graft. A prospective randomized trial evaluated with reference to clinical and social factors. *Arch orthop trauma surg* 2001; 121:476-480.
19. Cirak B, Alptekin M, Palaoglu S, Ozcan O, Ozgen T. Surgical therapy for lumbar spinal stenosis: evaluation of 300 cases. *Neurosurg Rev* 2001; 24:80-82.
20. Goodkin R, Laska L. Unintended incidental durotomy during surgery of the lumbar spine: medicolegal implication. *Surg Neurol* 1995; 43:4-14.
21. Beiner J, Grauer J, Kwon B, Vaccaro A. Postoperative wound infection of the spine. *Neurosurg Focus* 2003 15(3) article 14.
22. Veit R, Bernhard M, Carlo S, Werner H. Spondylodiscitis after lumbar discectomy: incidence and a proposal for prophylaxis. *Spine* 1998; 23(5): 615-620.
23. Randoux B, Page P, Meary E, Fredy D, Meder J. Magnetic resonance imaging findings three weeks after discectomy: misleading appearance of recurrent herniation, with nerve root enhancement. *Joint bone spine* 2001; 68: 345-9.
24. Berger E. Late postoperative results in 1000 work related lumbar spine conditions. *Surg Neurol* 2000; 54:101-8.
25. Kaptain G, Shaffrey C, Alden T, Young J, Laws E, Whitehill R. Secondary gain influences the outcome of lumbar but not cervical disc surgery. *Surg Neurol* 1999; 52: 217-225.