

()

*

(/ / : / / :)

...

%

()

. (P< /)

:

...

()

()

%

()

()

()

()

()

%

()

()

()

()

()

...

:

()

:

()

() %

% / /

%

:

%

/

()

%

(/)

()

()

%

()

(vitellogenin)

()

()

(× ×)

.

)

.(

)

.(

)

.(

:

)

/ /

()

.(

(

/ /

.(// /

()					
%	%	%	%	%	%
				/	/

/					
/	/	/	/	/	/
/	/	/	/	/	/
			/		
/					

()					
/ / / / /					
/ / / / /					
/ / / / /					



...

:

/

/

()

%

% /

() % /

(P < /)

%

%

%

%

%



()

%

()

/


%



% /

() % /

(P < /)



=

(/)

(/)

(/)

(P < /)

()			
()		()	
/ a	/ ab	/ c	/ a
/ b	/ b	/ c	/ a
/ ab	/ b	/ c	/ ab
/ d	/ c	/ a	/ ab
/ b	/ b	/ b	/ bc
			/ c
/ c	/ a	/ c	
.			
a,b,c,d			

(/ /)
/
/
/
/
/
/
/

.()

(/)

: ()

()

/

/ Bee Pro /

()

.()

/ /

.()

.()

...

(% / /)

()

(% /)

%

%

% / / ()

NRC

(/) ()

NRC

% / / ()

% /

REFERENCES

1. Abbasian, A. R. 1997. Effects of various protein sources on dry matter , carcass protein, fat and longevity of honeybee , proceeding of 4th Iranian honeybee seminar.
2. Australian bee keeping information webpage, 2005, <http://www.honeybee.com.au/>.
3. Cremonez, T.M., D. Dejong, & M.G. Bitondi.1998.Quantification of hemolymph proteins as a fast method for testing protein diets for honeybees(Hymenoptera : Apidae). J.Ecological Entomology. 91(6) : 1284-1289.

4. Cook, S.M., C.S. Awmack, D.A. Murray, & I.H. Williams.2003. Are honeybees foraging preferences affected by pollen aminoacid composition ? *Ecological Entomology* 28 : 622-627.
5. Crane, E. 1957. Honey as a comprehensive survey,International bee research association,London.
6. Ebadi, R. & A. A. Ahmadi, 1990. Honeybee rearing, publisher rahe nejat Isfahan.
7. Hrassnigg, N., B. Leonhard, & K. Crailsheim, 2000. Worker bees(*Apis mellifera* L.) are able to utilize starch as fuel for flight while drone are not, *Apimondio Journal Apiacta*.
8. Javaheri, S. D. 1995. Study honeybee stimulative feeding on pollen supplements and substitutes , Animal science dept. collage of agriculture , university of Tehran.
9. Johansson, T.S.K. & M. P. Johansson. 1977. Feeding honeybees Pollen and Pollen substitutes. *Bee world*. 85:105-118.
10. Keller, I., P. Fluri, & A. Imdorf. 2005. Pollen nutrition and colony development in honeybees. Part 1 , *Bee world*, 86(1):3-10.
11. Loidl, E., & K. Crailsheim. 2001. Free fatty acids digested from pollen and triolein in the honeybee(*Apis mellifera carnica* pol.) midgut. *J.comparative Physiology*. 171(4): 313-319.
12. Micheu, S., K. Crailsheim, & B. Leonhard. 2000. Importance of proline and other amino acids during honeybee(*Apis mellifera carnica* pollman) flight. *AminoAcid* 18(2): 157-175.
13. Pernal, S.F. & R.W. Currie. 2000. Pollen Quality of fresh and 1-year-old single pollen diets for worker honeybees(*Apis mellifera* L.).*Apidologie* 31: 387-409.
14. Saadatmand, S. J. & G. A. Nehzati. 1995. Comparison on some honeybee diets. *Jour. Of research in science and industry*.
15. Stace, P. 1996. Protein content and amino acid profiles of honeybee-collected pollens. NSW Austalia 2480 Lismore.
16. Standifer, L. N. 1978. Supplemental feeding of honeybee colonies, USDA Bulletin No.413, 8 pages,Illus.
17. Somerville, D. 2000. Honeybee nutrition and supplementary feeding. NSW. Agriculture. (agonte). Goulburn.
18. Somerville, D. 2005. Fat Bees, Skinny Bees, a manual on honeybee nutrition for beekeepers, RIRDC Puplicaion No 05/054, Goulburn, Australia.
19. Szolderits, M. & K. Crailsheim. 1993. A comparison of pollen consumption and digestion in honey bee. *J.Insect Physiology*. 39(10) : 877-881.