```
( / / : //: )
1 1 1
         % /
```

Omrani) .(& Nakhjavani, 2007 (Omrani & Nakhjavani, 2007) Verma et al.,) .(2008 .(Mardani, 2007) (Pruss et al., 1999) .(Ozbek & Sanin, 2004) habizadeh . Omrani &) .(Nakhjavani, 2007 Mohamed et) (al., 2009 .(habizadeh et al., 2006) .(Althaus et al., 1983; Gray & Woulfe, 2005) .(Arab et al., 2009) (2009)Naddafi .(CDCP, 2001) (2008)Koolivand

^{1 -}World Health Organization

^{2 -} Environmental Protection Agency

		Masoumbeigi .	(2009)
·	SPSS .		
		Municipality of Dehgolan,)	. (2009
-)	/ / / /		
-	. / % .()	- (WHO, 2001)	

¹ Cross Tab ² Chi-square ³ safety box

...


.


() -/

/ % . / %

% / % % /

. Chi-square . $(P=0.00) \ \, \left(\begin{array}{c} \\ \\ \end{array} \right)$






	,	,		
	1	1		
		1		
		1		
	1	1		
	1	1		
	1	1		
	1	1		
	1	1		
	1	1		
	1	1		
		1		
	,	,		
	1	1		
	I	1		
	1	1		
	1	1		
	1	1		
	1	1		

. :

...




. -

% / % /

% /

.()



--

--

(/)) (

.

.

-

.

```
..
```

```
1
Rezaei )
                                   .(et al., 2007
                                                              (Mardani, 2007; Verma et al., 2008)
               .(Jalilzadeh et al., 2009)
                                                                    Woulf Gray
                                                                                          Althaus
                                                        Althaus et Gray & Woulfe, 2005)
                                                                                             .(al., 1983;
                                                                %
                                                                                             %
                                                          Masoumbeigi
                                                                                         (2009)
                                                                                   %
Municipality Recovery )
                   .(Organization of Tehran, 2004
                                                        Omrani & )
                                                                                      (Nakhjavani, 2007
                                                          Askarian (Mohseni et al., 2001)
                                                                                   2003
                                                                                                 Vakili
             1995
                               Tavakoli .
                                                           .(Askarian & Vakili, 2003)
                                .(Tavakoli, 1995)
                                                                 1
                                                                      .(Habibzade et al., 2006)
```

Koolivand et al., 2008;)

.(Naddafi et al., 2009

WHO,)

(2001

(ERIG, 2004)

References

- Althaus, H., M. Sauerwald and E. Schrammeck. 1983. Waste from Hospital, Health Resorts and Sanatoria. Zentralbl Bakteriol Hyg., 178 (1-2):1-29.
- Arab, M., R. Ravangard, G. Omrani and M. Mahmoodi. 2009. Wastes Management Assessment at Public-teaching and Private Hospitals Affiliated to Teheran University of Medical Sciences, Iran. Journal of Health Administration, 38(12):71-77.
- Askarian, M. and M. Vakili. 2003. Managing Hospital Wastes in Hospitals Affiliated to Shiraz University of Medical Sciences, Journal of Medical Research, 1(4): 41-53.
- CDCP:Centers for Disease Control and Prevention. 2001. Healthcare Infection Control Practices Advisory Committee (HICPAC). Draft Guideline for Environmental Infection Control in Healthcare Facilities: 96-101.
- ERIG: Environmental Research Institute of Gilan. 2004. Assessment of Medical Waste Condition in Gilan Province. First Stage, Rasht city, Recycling Institute of Gilan province, p.
- Gray, D.A. and J. Woulfe. 2005. Lipofuscian and Aging: A Mater of Toxic Waste. Science of Aging Knowledge Environment 2005(5): 66-86.
- Habibzadeh, S., M.A. Hesami and Y. Mahmodifar. 2006. Medical Waste Management in Boukan, Mahabadm Saqez and Miandoab Hospitals in 2005. Journal of Health Management, 9(25): 57-62.
- Jalilzadeh, A., S.D. Ashrafi and M. Mahmodian. 2009. Evaluation of Collection, Transport and Disposal of Medical Solid Waste in West Azarbaijan Province. 12th National Congress on Environmental Health, Shahid Beheshti University of medical science, Tehran,12(1): 82-91. (in Persian)
- Koolivand, A., A.H. Mahvi, K. Azizi, M. Binavapour and V. Alipour. 2009. Quality Analysis and Management of Health-care Waste-Products. Journal of Hormozgan Medical Science 4(1): 72-79. (in Persian)
- Mardani, N. 2007. Hospital Wastes Types and Their Various Disposal Methods. Proceedings of the 1st Conference of Environmental Engineering, Tehran, 18-21 feb. Available at: [URL: http://www.civilica.com/Paper-CEE01-CEE01_415.html] (in Persian)

- Masoumbeigi, H., A.A. Karimi Zarchi and J. Tajik. 2009. Reduction Methods of Hospital Solid Waste Production. Journal of Military Medicine, 11(3): 127-133.
- Mohamed, L.F., S.A. Ebrahim and A.A. Al-Thukair. 2009. Hazardous Health-care Waste Management in the Kingdom of Bahrain. Waste Management, 29: 2404-2409.
- Mohseni, A., M. Javadian, M. yonisian and S.H. GHolami. 2001. Evaluation of Collection, Transport and Disposal of Medical Solid Waste in Private Hospitals of Mazandaran Province per 2001. Journal of Mazandaran Medical sciences, 11 (33): 1-8. (in Persian)
- Municipality of Dehgolan. 2009. The Report of Condition Dehgolan Small Town in 2009, number 12, p. (in Persian)
- Naddafi, K., R. Nabizadeh, M.S. Hassanvand, A.R. Mesdaghinia, K. Yaghmaeian and F. Momeniha. 2009. Investigation of Existing Status of Hazardous Wastes Management in Central Campus of Tehran University Medical Sciences, Iran. journal of Health & Environ. 2 (3): 214-223. (in Persian)
- Omrani,Gh. And N. Alavi Nakhjavani. 2007. Solid Waste (1):Hospital waste. Andisheh Press, Tehran, 158p. (in Persian)
- Ozbek, M. and F.D. Sanin. 2004. A Study of the Dental Solid Waste Produced in a School of Dentistry in Turky. Waste management, 24: 339-345.
- Pruss, A., E. Giroult and D. Rushbrook. 1999. Safe Management of Wastes from Health-care Activities, World Health Organization, Geneva, 252p.
- ROTM: Recovery Organization of Tehran Municipality. 2004. Medical Waste Wana Gement Guidelines in Iran, Tehran, Iran, p. (in Persian)
- Rezaei, F., M. Monavari and Gh. Omrani. 2007. An Assessment of Hospital Waste Management System in Areas of Waste Storage, Collection and Disposal in Private Hospitals of Tehran. Journal of Environmental Sciences, 5(1): 67-80. (in Persian)
- Tavakoli, B. 1995. Management of Solid Waste of Quality and Quantity in Noor City. MSc Thesis in Environment, Faculty of Natural Resources and Marine Science College, Tarbiat Moddares University, 137p. (in Persian)
- Verma, LK., S. Mani, N. Sinha and S. Rana. 2008. Biomedical Waste Management in Nursing Homes and Smaller Hospitals in Delhi. Waste Manag., 28(27): 23-34.
- WHO: World Health Organization. 2001. Health-care Waste Management. Rapid Assessment Tool for Country Level, Second draft: February, Available at [http://www.who.int/peh].

Qualities and quantities assessment of Hospital waste (a case study: Dehgolan City, 2009)

S. Soltanian $*^1$, B. Tavakoli 2 and S. SedighRahnema 3

¹ Environment MSc student of Tehran University, I.R. Iran ² Assistant Professor In Environment departement of Gilan university, I.R. Iran ³ Researcher in soil and water Behsazan co, I.R. Iran (Received: 25/06/2010, Accepted: 19/08/2011)

Abstract

Healthcare waste is a by-product of healthcare. Poor management of these wastes exposes the community to infections, toxic effects and injuries. The purpose of this study was to investigation the qualities and quantities characteristics of infectious and domestic wastes of Dehgolan clinics in Kurdistan province. For this purpose health care centers was identify including hospitals, clinics, infirmary clinic, veterinary centers and the other related medical centers. The medical wastes were measured during both cold and warm seasons. For each season in a period of 15 days infection and domestic solid wastes were weighted by a ± 10 gr laboratory scale separately. The current condition of qualities, gathering, keeping and final eliminating, was investigated by questionnaire and observation techniques for each health care centers. Our results indicated that total produced waste in any 24 hours duration equal to 61 kg, including 37.8, 22.5 and 0.7 kg of domestic wastes, infectious solid wastes and sharp objects respectively. The average per annual was 1.9 kg in 24 hours each hospital bed of the study area. Finally the indicator characteristics of hospital wastes in Dehgolan health care centers were investigated. City Hospital is equipped with an incinerator and 41.2% of health care centers used the incinerator for disposal of infectious solid waste and sharp objects.

Keywords: quantity and quality of waste, solid waste, incinerator, hospital waste, Dehgolan

E-mail: SatarSoltanian@ut.ac.ir