

afallah@aut.ac.ir
mofidmmail@yahoo.com
sghiacy@yahoo.com
talebiali2@yahoo.com

g

) ()

() ()

mmHg

[]

[]

[]

mmHg

[]

)

[]

(

[]

[]

[]

[]

[]

[]

[]

"

(*in vitro*)

[]

¹ Necrosis
⁵ Langer's line
⁹ Stiffness
¹³ Repeated

² Ischemia
⁶ Daniel
¹⁰ Doillon
¹⁴ Cyclic

³ Viscoelastic
⁷ Edsberg
¹¹ Stress-Strain Test
¹⁵ Turnover

⁴ Non-Isotropic
⁸ Uniaxial Tensile Test
¹² Static

:
mmHg
() . []
/ mmHg PWM (A/D)
(DC)
)
(.
/ mmHg
/
) / mmHg
(.
)
(/ g
A/D
/ mg/kg
A/D
()
PID
DC
- ml
) ± ()
(mmHg
[]

¹⁶ Computer controlled indenter system

¹⁷ Driver

¹⁸ Pulse Width Modulation

¹⁹ Analog to Digital

²⁰ Direct Current

²¹ Strain Gauge

²² Look Up Table

²³ Xylazin

²⁴ Ketamin

/

mm/min

()

()

(F_{max})

()

cm

cm

F_{max}

F_{max}

% /

× cm

%


π.

²⁵ Chloroform
²⁹ Hematoxilin-Eosin
& Co, ulm- Einsingen, Germany
³⁶ Kolmogorov-Smirnov


²⁶ Intra-animal Control
³⁰ Masson's Trichrome
³³ Elastic Modulus
³⁷ Nonparametric

²⁷ Normal Saline Solution
³¹ Tensiometer
³⁴ Maximum Force


²⁸ Formal Saline Solution
³² model Z 2.5, Zwick GmbH
³⁵ SPSS




(p < /)




(p < /)




(p < /)



(p < /)



(*))



()


(p < /)

mmHg

()

[]

()



mmHg

)
(*

± / Nmm / ± / Nmm)

.(/

.(/ ± / N/mm / ± / N/mm)

(F_{max})

/ ± / N)

(/ ± / N

.(p < /)

()

()

/ ± / N/mm

/ ± / N/mm

[]

% / ± /

% / ± /

[]

[]

mmHg

()

()

[]

[]

" []

[]

/ mmHg
" []

[]

[]

⁴²Krouskop
⁴⁶Goldstein

⁴³Anoxia
⁴⁷Derm

⁴⁴Reddy
⁴⁸Epiderm

⁴⁵support

mmHg

[]

[]

mmHg

[]

mmHg

mmHg

mmHg

mmHg

/

mmHg

"

mmHg

[]

()

(mmHg)

()

(mmHg)

)

mmHg

mmHg)

(

.(

[]

[]

mmHg

[]

⁴⁹ Kosiak
⁵³ Laser Doppler

⁵⁰ Nola

⁵¹ Salcido

⁵² Pletismography

-
- [1] Kloth L.C., McCulloch J.M., Feedar J.A.; Wound healing. : Alternatives in management; Davis Company; Philadelphia; 1990: 161-167.
- [2] Maklebust J., Mondoux L., Sieggreen M., Pressure relief characteristics of various support surface used in the prevention and treatment of pressure ulcers; *J Enterostom Ther* 1988; 13: 85-89.
- [3] Krouskop T.A., Noble P.C., Garber S.L., Spancer W.A., The effectiveness of preventive management in reducing the occurrence of pressure sores; *J Rehabil Res Dev* 1983; 20(1):74-83.
- [4] Brand P.W., Pressure sores-The problem. In bed sore biomechanics; Baltimore; MD: University Park Press; 1975; p.19-23.
- [5] Cook T.H., Mechanical properties of human skin with aging; in: Balin AK, Kligman AM, editors; *Aging and the skin*; New York: Raven Press; 1989; p. 205-225.
- [6] Pereira J.M., Mansour J.M., Davis B.R., Technical note: dynamic measurement of the viscoelastic properties of skin; *J Biomech*; 1991; 24: 157-162.
- [7] Vogel H.G., Measurement of some viscoelastic properties of rat skin following repeated load; *Connect Tissue Res* 1976; 4: 163-168.
- [8] Fung Y.C.B., Biomechanics mechanical properties of living tissue; New York: Springer Verlag; 1981. p. 203-212.
- [9] Gibson T., Kennedi R.M., Craik J.E., The mobile micro architecture of dermal collagen; *Br J Surg* 1965; 52: 764-770.
- [10] Ridge M.D., Wright V., The directional effects of the skin; *J Invest Dermatol* 1966b; 46: 341-346.
- [11] Stark H.L., Directional variations in the extensibility of human skin; *Br J Plas Surg* 1977; 30: 105-114.
- [12] Schneider D.C., Davidson T.M., Nahum A.M., In vitro biaxial stress-strain response of human skin; *Arch otolaryngol* 1984; 110: 329-333.
- [13] Skalak R., Chain S., *Handbook of Bioengineering*; McGraw Hill, New York; 1986; p. 11-3-11-25.
- [14] Daniel R.K., Priest D.L., Wheatley D.C., Etiologic factors in pressure sores: An experimental model; *Arch Phys Med Rehabil* 1981; 62: 492-497.
- [15] Edsberg L.E., Mates R.E., Baier R.E., Lauren M., Mechanical characteristics of human skin subjected to static versus cyclic normal pressure; *Arch Phys Med Rehabil* 1999; 36(2): 133-141.
- [16] Doillon C.J., Dunn M.G., Bender E., Silver F.H., Collagen fiber formation in repair tissue: development of strength and toughness; *Collagen Rel Res* 1985; 5: 481- 492.
- [17] Edsberg L.E., Cutway R., Anain S., Natiella J.R., Microstructural and mechanical characterization of human tissue at and adjacent to pressure ulcers; *J Rehabil Res Dev* 2000; 37(4): 463-471.

- [24] Herrman E.C., Knapp C.F., Donofrio J.C., Salcido R., Skin perfusion responses to surface pressure-induced ischemia: Implication for the developing pressure ulcers; *J Rehabil Res Dev* 1999; 36(2): 109-120. []
- [25] Krouskop T.A., Reddy N.P., Spencer W.A., Secor J.W.; Mechanisms of decubitus ulcer formation; *Med Hypotheses* 1987; 4: 37-39.
- [26] Reddy NP; Interstitial fluid flow as a factor in decubitus ulcer formation; *Biomechanics* 1981; 14(12): 879-881.
- [27] Goldstein B., sanders J., Skin response to repetitive mechanical stress: A new experimental model in pig; *Arch Med Rehabil* 1998; 79:265-272. []
- [28] Nola G.T., Vistnes L.M., Differential response of skin and muscle in the experimental production of pressure sores; *Plast Reconst Surg* 1980; 66(5): 728-733.
- [29] Salcido R., Fisher S.B., Donofrio J.C., Bieschke M., Knapp C., Liang R., LeGrand E.K., Carney J.M., An animal model and computer controlled surface pressure delivery system for the production of pressure ulcers; *J rehabil Res Dev* 1995; 32(2): 149-161. :()
- [30] Edsberg L.E., Natiella J.R., Baier R.E., Earle J., Microstructural characteristics of human skin subjected to static versus cyclic pressure; *J Rehabil Res Dev* 2001; 38(5): 477-486.
- [18] Maibach HI, Lowe NJ; *Models in dermatology*; Basel; Karger 1989; Vol 44; p. 71-78.
- [21] Kosiak M., Etiology of decubitus ulcers; *Arch Phys Med Rehabil* 1961; 42: 19-29.
- [22] Husain T., An experimental study of some pressure effects on tissues, with reference to the bed-sore problem; *J Phatol bacteriol* 1953; 66: 347-358.
- [23] Dinsdale S.M., Mechanical factors in pathogenesis of ischemic skin ulcers in swine; Ph.D Thesis; University of Minnesota; 1970.