

()

CETP

HDL-C CETP Taq I, -629A/C

TaqI : _____
: _____ . HDL-C -629A/C
DNA . HDL
TaqI Van19 I RFLP PCR CETP
CETP
TaqI B2 : _____
(p: / / pmol/L / pmol/L:B2) -629A/C A
: _____ . HDL-C .(p: / / pmol/L / pmol/L:A)
HDL-C CETP B2
629A/C A
:
// : // : // :
HDL CETP
HDL-C
(CETP)

CETP TaqI (HDL)
-629A/C

:

RFLP PCR -629A/C B1 HDL-C
 C A TaqI B2
 i CETP B1 -629A/C
 ii C A B2
 A B2
 CETP
 Biovision, USA
 (Fluostar, Germani)
 (Extention:465nm; ; HDL-C CETP
 629A/C TaqI A B2
 CETP Emission:535nm)
 pmol/L
 SPSS :
 ±
 post-hoc ANOVA
 /
 :
 / /
 -629A/C TaqI
 mg/dL mg/dL
 HDL-C HDL-C
 CC /
 AA / HDL HDL
 AA HDL-C / mg/dL %
 CC /
 (p< /) ≤ mg/dL: : HDL
 HDL-C) HDL= mg/dL : () HDL
 B2B2 .() HDL ≥ mg/dL : ()
 -629A/C TaqI
 CETP
 HDL-C :
 C A TaqI B2 B1

i- Donor
 ii- Acceptor

HDL-C		CETP	-629A/C TaqI	
HDL >	HDL=	HDL <		
≥ mg/dL	mg/dL	≤ mg/dL		
()	()	()		
(/)	(/)	*(/)		B1B1
(/)	(/)	(/)		B1B2
(/)	(/)	*(/)		B2B2
/	/	/		B2
(/)	(/)	*(/)		CC
(/)	()	(/)		AC
(/)	(/)	*(/)		AA
/	/	/		A
			>	(p < /)*

-629A/C		A	TaqI	B2		
P	() AA/AC	() CC	P	() B2B2/B1B2	() B1B1	()
/	±	±	/	/ ±	/ ±	()
/	± /	± /	/	± /	/ ±	()
/	±	±	/	±	±	()
/	±	±	/	±	±	()
/	/ ± /	/ ± /	/	/ ± /	/ ± /	() CETP
/	±	±	/	±	±	()
/	±	±	/	±	±	()
< /	±	/ ±	< /	±	±	() HDL-C
/	±	±	/	±	±	() LDL-C
/	± /	/ ± /	/	/ ± /	/ ± /	TC/HDL

A (p: / /

/ pmol/L)

A/C

A B2

A (p: / / pmol/L

HDL-C

B2

HDL-C

Total Cholestrol/HDL

CETP

B2

B2

pmol/L

/ pmol/L)

CETP

CETP

- | | | | |
|---------|-------|------------|------|
| | HDL-C | CETP(TaqI) | |
| B2 | | | |
| | HDL-C | CETP | |
| -629A/C | | CETP | TaqI |
9. Le Goff W, Guerin M, Petit L, Chapman MJ, Thillet J. Regulation of human CETP gene expression: role of SP1 and SP3 transcription factors at promoter sites -690, -629, and -37. *J Lipid Res* 2003; 44: 1322-31.
10. Brown ML, Inazu A, Hesler CB, Agellon LB, Mann C, Whitlock ME, et al. Molecular basis of lipid transfer protein deficiency in a family with increased high-density lipoproteins. *Nature* 1989; 342: 448-51.
11. Azizi F, Rahmani M, Majid M. Tehran Lipid and Glucose Study (TLGS): Rationale and Design. *CVD Prevention*. 2000. 50-3.
12. Corbex M, Poirier O, Fumeron F, Betoulle D, Evans A, Ruidavets JB, et al. Extensive association analysis between the CETP gene and coronary heart disease phenotypes reveals several putative functional polymorphisms and gene-environment interaction. *Genet Epidemiol* 2000; 19: 64-80.
13. Bruce C, Chouinard RA Jr, Tall AR. Plasma lipid transfer proteins, high-density lipoproteins, and reverse cholesterol transport. *Annu Rev Nutr* 1998; 18: 297-330.
14. Dacht C, Poirier O, Cambien F, Chapman J, Rouis M. New functional promoter polymorphism, CETP/-629, in cholesteryl ester transfer protein (CETP) gene related to CETP mass and high density lipoprotein cholesterol levels: role of Sp1/Sp3 in transcriptional regulation. *Arterioscler Thromb Vasc Biol*. 2000; 20: 507-15.