

()

()

()

()

: _____

in vivo

(NOx) +

: _____

: _____

: _____

/// :

/// :

/// :

(

:

()

E-mail: as_qasemi@yahoo.com

(

g ()

NOx

in vivo

(NOx) /

)

(Griess)

(

(N) NEDD

g

NOx

()

NOx

NOx

(III)

NEDD

()

)

()

(

()

/ (/) %

()

(/)

NEDD

NEDD (/) /

III

NEDD

NEDD

NO_x

(
(NEDD)

(III)

NADPH/NADP+
(III)

(III)

(III)

NO_x

(NO_x)

ii i

III

NEDD

/

(Sunrise, Tecan, Austria)


()

NO_x

) (/ :) (

/ /
/ /
/ /
/ /
/ /
/ /
/ /
/ /
/ /
/ /

(/ :)



±) .(

/ / /
/ /

/

/	/
/	/
/	/

/	/
/	/
/	/

	:
	:
	:
/	:
/	:
/	:

: : : : :
 ± /
 ± /
 .()

()

	/	/
	/	/
	/	/
/	/	/
	/	/
	/	/
/	/	/
/		

()

/ /
/ /
/ /
/ /
/ /
/ /
/ /
/ /

in vivo

/ () ()
/ ()
/ /

/ / /
/ / /

[NOx]

/ / /

/ (± /)

(± /)

±

References

- Vallance P, Chan N. Endothelial function and nitric oxide: clinical relevance. *Heart* 2001; 85: 342-50.
- Garthwaite J, Charles SL, Chess-Williams R. Endothelium-derived relaxing factor release on activation of NMDA receptors suggests role as intercellular messenger in the brain. *Nature* 1988; 336: 385-8.
- Moshage H, Kok B, Huizenga JR, Jansen PL. Nitrite and nitrate determinations in plasma: a critical evaluation. *Clin Chem* 1995; 41: 892-6.
- Garg UC, Hassid A. Nitric oxide-generating vasodilators and 8-bromo-cyclic guanosine monophosphate inhibit mitogenesis and proliferation of cultured rat vascular smooth muscle cells. *J Clin Invest* 1989; 83: 1774-7.
- Guevara I, Iwanejko J, Dembinska-Kiec A, Pankiewicz J, Wanat A, Anna P, et al. Determination of nitrite/nitrate in human biological material by the simple Griess reaction. *Clin Chim Acta* 1998; 274: 177-88.
- Inoue T, Kaibara M, Sakurai-Yamashita Y, Kawano M, Ishimaru T, Taniyama K. Increases in serum nitrite and nitrate of a few-fold adversely affect the outcome of pregnancy in rats. *J Pharmacol Sci* 2004; 95: 228-33.
- Bredt DS, Snyder SH. Nitric oxide: a physiologic messenger molecule. *Annu Rev Biochem* 1994; 63: 175-95.
- Kone BC, Baylis C. Biosynthesis and homeostatic roles of nitric oxide in the normal kidney. *Am J Physiol* 1997; 272: F561-78.
- Singh S, Evans TW. Nitric oxide, the biological mediator of the decade: fact or fiction? *Eur Respir J* 1997; 10: 699-707.
- Miranda KM, Espey MG, Wink DA. A rapid, simple spectrophotometric method for simultaneous detection of nitrate and nitrite. *Nitric Oxide* 2001; 5: 62-71.
- Granger DL, Taintor RR, Boockvar KS, Hibbs JB Jr. Measurement of nitrate and nitrite in biological samples using nitrate reductase and Griess reaction. *Methods Enzymol.* 1996; 268: 142-51.
- Sun JZ, X Broderick, M Fein, H. Measurement of nitric oxide production in biological systems by using Griess reaction assay, *Sensors*, 3 (2003): 278-84.
- Ricart-Jane D, Llobera M, Lopez-Tejero MD. Anticoagulants and other preanalytical factors interfere in plasma nitrate/nitrite quantification by the Griess method. *Nitric Oxide* 2002; 6: 178-85.
- Vaziri ND, Ni Z, Oveisi F. Upregulation of renal and vascular nitric oxide synthase in young spontaneously hypertensive rats. *Hypertension* 1998; 31: 1248-54.
- Bradford MM. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 1976; 72: 248-54.
- Green LC, Wagner DA, Glogowski J, Skipper PL, Wishnok JS, Tannenbaum SR. Analysis of nitrate, nitrite, and [15N]nitrate in biological fluids. *Anal Biochem* 1982; 126: 131-8.
- Ellis G, Adatia I, Yazdanpanah M, Makela SK. Nitrite and nitrate analyses: a clinical biochemistry perspective. *Clin Biochem* 1998; 31: 195-220.
- Marzinzig M, Nussler AK, Stadler J, Marzinzig E, Barthlen W, Nussler NC, et al. Improved methods to measure end products of nitric oxide in biological fluids: nitrite, nitrate, and S-nitrosothiols. *Nitric Oxide* 1997; 1: 177-89.
- Priego T, Ibanez de Caceres I, Martin AI, Villanua MA, Lopez-Calderon A. NO plays a role in LPS-induced decreases in circulating IGF-I and IGFBP-3 and their gene expression in the liver. *Am J Physiol Endocrinol Metab* 2004; 286: E50-6.
- Misko TP, Schilling RJ, Salvemini D, Moore WM, Currie MG. A fluorometric assay for the measurement of nitrite in biological samples. *Anal Biochem* 1993; 214: 11-6.
- Stratford MR, Dennis MF, Cochrane R, Parkins CS, Everett SA. The role of nitric oxide in cancer. Improved methods for measurement of nitrite and nitrate by high-performance ion chromatography. *J Chromatogr A* 1997; 770: 151-5.
- El Menyawi I, Looareesuwan S, Knapp S, Thalhammer F, Stoiser B, Burgmann H. Measurement of serum nitrite/nitrate concentrations using high-performance liquid chromatography. *J Chromatogr B Biomed Sci Appl* 1998; 706: 347-51.
- Kage S, Kudo K, Ikeda N. Determination of nitrate in blood by gas chromatography and gas chromatography-mass spectrometry. *J Chromatogr B Biomed Sci Appl* 2000; 742: 363-8.
- Zunic G, Spasic S, Jelic-Ivanovic Z. Simple and rapid method for the measurement of nitrite and nitrate in human plasma and cerebrospinal fluid by capillary electrophoresis. *J Chromatogr B Biomed Sci Appl* 1999; 727: 73-9.
- Jedlickova V, Paluch Z, Alusik S. Determination of nitrate and nitrite by high-performance liquid chromatography in human plasma. *J Chromatogr B Analyt Technol Biomed Life Sci* 2002; 780: 193-7.
- Gharavi N, El-Kadi AO. Measurement of nitric oxide in murine Hepatoma Hepa1c1c7 cells by reversed phase HPLC with fluorescence detection. *J Pharm Pharm Sci* 2003; 6: 302-7.