

( )

\*

( / / : / / : )

( )

( ) ( )  
( ) **m-75-7**

(SSI)

SSI

SSI

( )

( )

/ / /

(Saeedi, 1998)

.(Grabau et al., 1990; Savin & Nicolas, 1999)

(1999) Savin & Nicolas

(1990) Grabau et al.

/ / /

(Blum, 1998; Li

.et al., 2001; Yang & Zhang, 2006)

(1991) Jenner et al. .(Yang & Zhang, 2006)

Darroch & Baker .

(1990)

.(Papakosta & Gagianas, 1991)

Gebeyehou et al. .

(1982)

.(Papakosta & Gagianas, 1991)

(1971) Rawson & Evans

(1985) Bauer et al. .

(1991) Papakosta & Gagianas

... :

(Jenner et al.,

(1991) Jenner et al. .1991)

(Ahmadi & Baker,

.2001)

.(Blum, 1998; Ehdaie, 1998)

.(Blum, 1998)

.(Ehdaie, 1998)

.(Jenner et al., 1991)

(1999) Savin & Nicolas

(Ehdaie et al.,

.2006; Yang et al., 2000; Yang & Zhang, 2006)

/

(2001) Yang et al. .

.( )

%

%

% /

% /

(2001) Ahmadi & Baker .

/	
	m-75-7
/	
/	
/	
%	

$$(SSI) := (1 - (Y_s/Y_p)) / (1 - (\bar{Y}_s/\bar{Y}_p))$$

$$Y_s/Y_p = (YSI)$$

1. Stress Susceptibility Index
2. Yield Stability Index

)

(

( % % % )

/ pH

% /





mg/Kg mg/Kg

)

( )

$$\frac{Y_s}{\bar{Y}_s} = \frac{Y_p}{\bar{Y}_p}$$

(Sio-Se Mardeh et al., 2006)



( )  
 ( )  
 ( )

( )  
 ( )  
 ( )

$$= \frac{\text{---}}{\text{---}} \quad ( )$$

%      %

(Yang et al., 2001)

$$= \text{---} \quad ( )$$





$$= \text{---} * \quad ( )$$

SAS 8.2

SPSS 10.0

(LSD)

Microsoft Excel 2001



سال زراعی	مجموع تخمیر فروردین و اردیبهشت (میلیون)	مجموع (کیلوگرم در هکتار)	مجموع ساعات اقلیمی فروردین و اردیبهشت (ساعت)	مجموع ساعات اقلیمی فروردین و اردیبهشت (درجه سانتیگراد)
1379-80	435	4350	560	14.5
1380-81	305	4100	450	12.5
1381-82	355	4150	495	13.5

سال زراعی	مجموع تخمیر فروردین و اردیبهشت (میلیون)	مجموع (کیلوگرم در هکتار)	مجموع ساعات اقلیمی فروردین و اردیبهشت (ساعت)	مجموع ساعات اقلیمی فروردین و اردیبهشت (درجه سانتیگراد)
1379-80	435	4350	560	14.5
1380-81	305	4100	450	12.5
1381-82	355	4150	495	13.5

سال زراعی	مجموع تخمیر فروردین و اردیبهشت (میلیون)	مجموع (کیلوگرم در هکتار)	مجموع ساعات اقلیمی فروردین و اردیبهشت (ساعت)	مجموع ساعات اقلیمی فروردین و اردیبهشت (درجه سانتیگراد)
1379-80	435	4350	560	14.5
1380-81	305	4100	450	12.5
1381-82	355	4150	495	13.5

( )



/

/

(1998) Blum .

... YSI SSI  
% /  
( ) % /

(2006) Ehdai et al.

SSI

m-75-7

(Siosemardeh et al., 2006)

( )

YSI SSI

( )

( )


( )

( )

m-75-7




(2006) Yang et al.



( )


( ) (r= / )

/



( )

( )



( )

( )

(SSI )

( )

( )

(Blum, 1998; Grabau et al., 1990;

.Yang et al., 2001; Yang & Zhang, 2006)

(2004) Yang et al.

- 
1. Starch Branching Enzyme (SBE)
  2. Soluble Starch Synthase (SSS)
  3. Sucrose Synthase (SuSase)

.( )

.( )

(1998) Bishop & Bugbee

/  
Savi & Nicolas .  
/

/  
(1999)

(2001) Ahmadi & Baker .

%  
% .( )

.( )

%  
.( )  
(1982) Gebeyehou et al. (1990) Darroch & Baker

.( )

%  
.( ) .( )



...

:

%

/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	m-75-7
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	LSD
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	m-75-7
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	LSD

: LSD



(r= / )

%

( )

( )

( )

(r= / )

(Wardlaw

.& Willenbrink, 2000; Yang & Zhang, 2006)

(2006) Yang & Zhang

( )

(1991) Jenner et al. ( )

( )

(r= / )

%

(r= / )

- 
1. Fructan exohydrolase (FEH)
  2. Sucrose phosphate synthase (SPS)
  3. Nonstructural carbohydrate (NSC)

...

:

%

/ *	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	
**	**	**	*	/ *	/ **	/ *	/ **	/ **	/ **	**	**	*	
/	/	/	/	/	/	/	/	/	/	/	/	/	
**	**	**	/ n.s	/ n.s	/ **	/ n.s	/ **	/ **	**	**	**	/ n.s	
/ n.s	**	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	/ n.s	x
/	/	/	/	/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	/	/	/	/	CV
										** *			.n.s

%

/	/	/	/	/	/	/	/	/	/	/	/	/	
	/	/	/	/	/	/	/	**	/	/	/	/	
		/	/	/ **	/	/	/	/	/	/	/	/	%
			/	/	/	/	/	/	/	/	/	/	
				/	**	**	/	/	/	*	/	*	
					/	**	/	*	/	/	/	/	
						/	/	/	/	/	/	/	
										/	**	**	
													** *

%

/ *	/	/ **	/	/ *	/ *	/ *	/	/	/	/	/	/	
	/	/ *	/	/	/ *	/ *	/ *	/	/	/	/	/	
		/	/	/ **	/	/	/	/	/	/	/	/	%
			/	/	/ *	/ *	/	/	/	/	/	/	
				/	/ **	/ **	/ *	/ *	/	/	/	/	
					/	**	**	/	/	/	/	/	
						/	**	**	/	/	/	/	
							/ *	/ *	/	/	/	/	
							/ *	/ **	/	/	/	/	** *
							/	**	/	/	/	/	** *

## REFERENCES

1. Ahmadi, A. & Baker, D. A. (2001). The effect of water stress on grain filling processes in wheat. *J Agric Sci*, 136, 257-269.
2. Ahmadi, A. & Baker, D. A. (2001). The effect of water stress on the activities of key regulatory enzymes of the sucrose to starch pathway in wheat. *Plant Growth Regul*, 35, 81-91.
3. Arduini, I., Masoni, A., Ercoli, L. & Mariotti, M. (2006). Grain yield, and dry matter and nitrogen accumulation and remobilization in durum wheat as affected by variety and seeding rate. *Europ J Agronomy*, 25, 309-318.
4. Atlin, G. N. & Fery, K. J. (1989). Predicting the relative effectiveness of direct versus indirect selection for oat yield in three types of stress environments. *Euphytica*, 44, 137-142.
5. Bauer, A., Frank, A. B. & Black, A. L. (1985). Estimation of spring wheat grain dry matter assimilation from air temperature. *Agron J*, 77, 743-752.
6. Bishop, D. L. & Bugbee, B. G. (1998). Photosynthetic capacity and dry mass partitioning in dwarf and semi-dwarf wheat (*Triticum aestivum*). *J Plant Physiol*, 153, 558-565.
7. Blum, A. (1996). Crop responses to drought and the interpretation of adaptation. *Plant Growth Regul*, 20, 135-148.
8. Blum, A. (1998). Improving wheat grain filling under stress by stem reserves mobilization. *Euphytica*, 100, 77-83.
9. Darroch, B. A. & Baker, R. J. (1990). Grain filling in three spring wheat genotypes: statistical analysis. *Crop Sci*, 30, 525-529.
10. Ehdaie, B., Alloush, G. A., Madore, M. A. & Waines, J. G. (2006). Genotypic variation for stem reserves and mobilization in wheat I. postanthesis changes in internode dry matter. *Crop Sci*, 46, 735-746.
11. Ehdaie, B. (1998). Genetical manipulation of stem reserve and its remobilization to spring wheat seed under terminal drought condition. In: *Proceeding of 5<sup>th</sup> Iranian congress of crop production and plant breeding, Karaj*. Research Institute of seed and plant improvement. Pp, 656.
12. Gebeyehou, G., Knott, D. R. & Baker, R. J. (1982). Rate and duration of grain filling in durum wheat cultivars. *Crop Sci*, 22, 337-340.
13. Grabau, L. J., Van Sanford, D. A. & Meng, Q. W. (1990). Reproductive characteristic of winter wheat cultivars subjected to post-anthesis shading. *Crop Sci*, 30, 771-774.
14. Jenner, C. F., Ugalde, T. D. & Aspinall, D. (1991). The physiology of starch and protein deposition in endosperm of wheat. *Aust J Plant Physiol*, 18, 211-226.
15. Li, A., Hou, Y. & Trent, A. (2001). Effects of elevated atmospheric CO<sub>2</sub> and drought stress on individual grain filling rates and durations of the main stem in spring wheat. *Agr Forest Meteorol*, 106, 281-301.
16. Papakosta, D. K. & Gagianas, A. A. (1991). Nitrogen and dry matter accumulation, remobilization, and losses for mediterranean wheat during grain filling. *Agron J*, 83, 864-870.
17. Pheloung, P. C. & Siddique, K. H. M. (1991). Contribution of stem dry matter to grain yield in wheat cultivars. *Aus J Plant Physiol*, 18, 53-64.
18. Rawson, H. M. & Evans, L.T. (1971). The contribution of stem reserves to grain development in a range of cultivars of different height. *Aus J Agric Res*, 22, 851-863.

19. Saeedi, A. (1998). Strategy and application of wheat improvement methods in cereal research, past, present and future. In: Proceedings of 5<sup>th</sup> Iranian congress of crop production and plant breeding, Karaj. Research Institute of Seed and Plant Improvement. PP, 656.
20. Savin, R. & Nicolas, M. E. (1999). Effects of timing of heat stress and drought on growth and quality of barley grains. *Aus J Agri Res*, 50, 357-364.
21. Sio-Se Mardeh, A., Ahmadi, A., Poustini, K. & Mohammadi, V. (2006). Evaluation of drought resistance indices under various environmental conditions. *Field Crop Res*, 98, 222–229
22. Wardlaw, I. F. & Willenbrink, J. (2000). Mobilization of fructan reserves and changes in enzyme activities in wheat stems correlate with water stress during kernel filling. *New Phytol*, 148, 413-422.
23. Winter, S. R., Musick, J. T. & Porter, K. B. (1988). Evaluation of screening techniques for breeding drought-resistance winter wheat. *Crop Sci*, 28, 512-516.
24. Yang, J., Zhang, J., Huang, Z., Zhu, Q. & Wang, L. (2000). Remobilization of Carbon Reserves Is Improved by Controlled Soil-Drying during Grain Filling of Wheat. *Crop Sci*, 40, 1645–1655
25. Yang, J., Zhang, J., Wang, Z., Zhu, Q. & Wang, W. (2001). Remobilization of carbon reserves in response to water deficit during grain filling of rice. *Field Crop Res*, 71, 47-55.
26. Yang, J., Zhang, J., Wang, Z., Xu, G. & Zhu, Q. (2004). Activities of key enzymes in sucrose-to-starch conversion in wheat grains subjected to water deficit during grain filling. *Plant Physiol*, 135, 1621–1629.
27. Yang, J. & Zhang, J. (2006). Grain filling of cereals under soil drying. *New Phytol*, 169(2), 223-236.

