

() , ()

*

(/ / : // :)

x x) x x

(

/

/

:

”

“

Institute of Standards)

.(and Industrial Research of Iran 1996, 1995

() Sadrnia et al. .

() Laurier .

E-mail: hassan.sadrnia@yahoo.com

*

() Diezma-Iglesias et al. .

() Milesl & Kolker, .

/ /

Boyhan et al. .

()

Ozer et al., 1998; Sugiyama,1998; Mohsenin, 1986;)
(Sitkei, 1986

()
()

Cardenas-Weber et al. .

%

()

(F_v)

(D_v)

()
(/ / /)
()

()

()



-
1. Acoustic impulse response
 2. Ultra cool
 3. Petite Perfection
 4. Superstar
 5. Hertz
 6. Charleston gray
 7. Crimson sweet

()


(ASAE, 2006)

Sadrnia et)

(al.,2008



(-)



(Kindya et al.,1982)

F_u D_u

(F_u)

(D_u)

(t)

() ()

()

%

)


.(

F		F		
/	**	/	/	**
/	*	/	/	ns
/	ns	/	/	ns
/	**	/	/	**
/	**	/	/	ns
/	ns	/	/	ns
/	ns	/	/	ns

:A / **

:B / *

:C ns



(t)		
(mm)	D _u (cm)	F _u (N)
/	/	/
/	/	/
/	/	/
/	/	/
/	/	/
/	/	/
/	/	/

(t)		
(mm)	D _u (cm)	F _u (N)
/	/	/
/	/	/
/	/	/
/	/	/
/	/	/
/	/	/
/	/	/

()


()

()

(p= /)

()

()



(α= /)

()

()


%

%

()

(D₀)


(ASAE, 2006)



(α= /)

F

/ **	/	/	A
/ ns	/	/	B
/ ns	/	/	A*B
	/	/	
:A			**
:B			ns



(±)

()

)

(< >

Sadnia

() et al

REFERENCES

- American Society of Agricultural Engineering (ASAE). (2006). *ASAE standard*, Compression test of food material of convex shape. *ASAE S368.4, DEC2000 (R2006)*.
- Boyhan, G. E., Granberry, D. M. & Kelley, W. T. (1999). *Commercial watermelon production. Bulletin 996*. Extension Service, University of Georgia.
- Cardenas-Weber, M., Stroshine, R. L., Haghghi, K., & Edan, Y. (1991). Melon material properties and finite element analysis of melon compression with application to robot gripping. *Transaction of ASAE*, 34(3), 920-929.
- Diezma-Iglesias B., Ruiz-Altisent, M., & Barreiro, P. (2004). Detection of internal quality in seedless watermelon by acoustic impulse response. *Biosystems Engineering*, 88(2), 221-230.
- Institute of Standards and Industrial Research of Iran. (1995). *Melons-guide to cold storage and refrigerated transport*. ISIRI Number 3697. First Edition. (In Farsi)
- Institute of Standards and Industrial Research of Iran. (1996). *Specifications of watermelon*. ISIRI Number 271. Third Edition. (In Farsi)
- Kindya, W. G., Close, E., Risse, L. A. & Mongelli, R. C. (1982). *Transporting watermelons in bulk and bins by truck*. U.S. Dept. Agric., Office of Transportation OT-4. U.S.Dept. Agric. Washington, D.C.
- Laurier F. C. (2004). Design of a watermelon pulp and juice extraction machine. *ASAE/CSAE Annual International Meeting*, Canada.
- Miles, C. & Kolker, K. (2004). *Icebox watermelon variety trial 2004, Watermelon Rind Thickness*. Washington State University.
- Mohsenin, N. N. (1986). *Physical properties of food and agricultural materials* (2nd revised and update edition). New York: Gordon and Breach Science Publishers
- Ozer, N. B., Engel, A. & Simon, J. E. (1998). A multiple impact approach for non-destructive measurement of fruit firmness and maturity. *Transaction of ASAE*, 41(3), 871-876.
- Sadriani H., Rajabipour, A., Javadi, A., Mostofi, Y. & Jafari, A. (2006). Comparing physical and mechanical properties of two varieties of watermelon: Charleston gray and crimson sweet. *Journal of Agricultural Engineering Research*, 28(7), 151-165. (in Farsi)
- Sadriani, H., Rajabipour, A., Jafari, A., Javadi, A., Mostofi, Y., Kafashan, J., Dintwa, E. & De Baerdemaeker, J. (2008). Internal bruising prediction in watermelon compression using nonlinear models. *Journal of Food Engineering*, 86, 272-280.
- Sitkei G. (1986). *Mechanics of agricultural materials*. Amsterdam: Elsevier
- Sugiyama J. (1998). Melon ripeness monitoring by portable firmness tester. *Transaction of ASAE*, 41(1), 121-127.