

*

,

(/ / : / / :)

COST 90 () () / - /

:

(Labuza et al., 1985)

(FAO, 2007)

(Myhara et al., 1998)

(Alhamdan & Hassan, 1999)

(Kechaou & Maalej, 2000).

(Belarbi et al.,2000).

(Nabill et al., 2005).

COST / /
(Spiess & Wolf.,1983) 90 (Ballagha et al. 2008)

×

(Zarabi,1999)

(Gholami & Minaei,
. 2006)

± /

)

(

(Tsami et

.al.,1990; Spiess & Wolf. 1983)


(Kechaou & Maalej, 2000)

COST 90

(Labuza et al., 1986) ()

$$X_e = \frac{m_w - m_d}{m_d} \times 100$$

[%d.b]



(Tvakolipour, 2001;

. Gholami & Minaee.,2006)

()

Excel 2007 SPSS 16

R^2

()

()

()

$$\frac{d(\ln a_w)}{d(1/T)} = -\frac{Eb}{R}$$

= R

= Eb

$1/T$

$\ln a_w$

(Saravacos et al., 1986; Nabill et al. 2005; Bellagha

.et al. 2008)

$-Eb/R$

()

...

:


(Alhamdan & Hassan., 1999; Saravacos, et al., 1986)

()

(Bellaga et al.,2008)

(Belarbi, et al., 2000; Nabill et al., 2005)

()



(OH)

P

R^2


χ^2 RMSE

() ()


χ^2	RMSE	P%	R^2	X_m or E	K	C	B or b	A or p	(°C)
/	/	/	/	/	/	/	-	-	
/	/	/	/	/	/	/	-	-	
/	/	/	/	/	/	/	-	-	
/	/	/	/	/	/	/	-	-	
/	/	/	/	/	/	/			
/	/	/	/	/	/	/			
/	/	/	/	/	/	/			
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	/	/	/	/	/	
/	/	/	/	-	-	-	/	/	
/	/	/	/	-	-	-	/	/	
/	/	/	/	-	-	-	/	/	
/	/	/	/	-	-	-	/	/	

()



(Bellagha et al.,2008)



()




()



/ /

COST-90



REFERENCES

- Alhamdan, M. & Hassan, H. (1999). Water sorption isotherms of date pates as influenced by date cultivar and storage temperature. *Journal of Food Engineering* . 39: 301-306.
- Belarbi, A., Aymard. Ch., Meot. J. M., Themelin, A. & Reynes, M. (2000). Water desorption isotherm for eleven varieties of dates. *Journal of Food Engineering*. 43:103-107.
- Bellagha, S., Sahli. A., & Farhat, A. (2008). Desorption isotherms and isosteric heat of three Tunisian date cultivars. *Food Bioprocess Technol.* 1:270-275.
- Food and Agriculture Organization. (2008). Retrieved September 5, 2008, from <http://www.fao.org>.
- Gholami, M. & Minaee. S. (2006). Estimation Sorption isotherm for Black Currant Raisins and determination the best appropriate model. *Journal of Iran Food Science* ,2 (2),63-74. (In Farsi).
- Kechaou, N. & Maalej. M. (2000). Desorption isotherm of Tunisia Deglet nour dates application of the gab theory. *Braz. J. Food Technol.* 3:73-77.
- Labuza, T. P., Kanane, A. & Chen, J.Y. (1985). Effect of Temperature on Moisture Sorption Isotherm and Water activity. *Journal of Food Science*.50:1385-1392.
- Myhara, R. M., Taylor, M. S., Slominski, B.A. & AL-Bulushi, I.(1998). Moisture Sorption Isotherm and Chemical Composition Omani Dates. *Journal of Food Engineering* .37:471-479.
- Nabill, H., Bouabidi, M., Trifi, M. & Marrakchi, M. (2005). Water Vapour Desorption of Deglet Noor and Alig Dates. *International and Technology for Sustainable Fruit and Vegetable Production* .FRUTIC 05:12-16.
- Saravacos, G.D., Triourvas, D.A. & Tsami, E. (1986). Effect of temperature on the water adsorption isotherms of Sultana Raisins. *Journal of Food science*. 51(2):381-385.
- SanMartin, M. B., Mate, J. I., Fernandez, T. & Virseda, P. (2001). Modelling adsorption equilibrium moisture characteristics of rough rice. *Drying Technology*.19:681-690.
- Spiess, W.E, & Wolf, W. R. (1983). *The Result of cost 90 project on water activity* .In Jowitt .R. (Ed.), "Physical Properties of Food". Applied Science publishers. London.
- Tavakolipour, H. (2001). *Analyzing of effect factors in drying and storage of pistachio*. Ph.D. Dissertation, Islamic azad University, science and research branch, Tehran. (In Farsi).
- Tsami, E., Marinos-kouris, D. & Maroulis, Z. B. (1990). Water sorption isotherm of Raisins, Currant, Figs, Prunes and Apricots. *Journal of Food Science*. 55(6), 1594-1597.
- Zarabi. M. (1999). *Determination of parameters of designing in grapes*. M.sc. dissertation, Modares University, Chemistry engineering faculty. (In Farsi).

