

()

()
(*Carthamus tinctorius* L.)

*

(/ / : / / :)

)

(

)

(LRV 5151

)

(

:

()

(:)

:

(Ninganoor et al., 1995)

(*Carthamus tinctorius* L.)

(Ingram & Bartels, 1996; Jones & Verneye,

1992)

()

(Mahajan & Tuteja, 2005)

% /

% /

(Zeinali, 1999)

%/

% /

%

(Lee et al., 2004)

(Aron, 1986)

(Wilkinson, 2002)

(:)

(:)

(:)

(Mahajan & Tuteja, 2005)

(:)

(Hamrouni et al., 2001)

(Paquine et al., 1979)

(*Brassica napus* L.)

... () :

(Bokhari & Trent, 1985;

/ / /

.Bucherau et al., 1996)

. ppm / /

)

(

.(Mekki et al., 1999)

(*Arachis hypogaea* L.)

)]

) (

) (

. (LRV 5151) [(

LRV5151

.(Dwived et al., 1996)

.(Blum, 1996)

(:)

.(Hamrouni et al., 2001)

)

(

(1997) Tanaka et al.

()

:

()

/ / Ec pH

(Paleg & Aspinall, 1981; Sanchez et al., 1998)
(*Medicago sativa* L.) (1992) Irigoyen et al.
(*Pisum sativum* L.) (1998) Sanchez et al.

×

Paquine & Lechasseur

(1979)

(1992) Irigoyen et al.

×

" "

()

(1966) Metcalf et al.

/)

UNICAM 4600 Gas Chromatograph

()

(

/

BPX 70

SAS

($P < /$)

MS Office

(Bukhari & Terent, 1985)

(Hekmat Shoar, 1993; Sanchez et al., 1998)

×

()

(1985) Bokhari & Terent

()

(

/)

LRV5151

()

(Bajji et al., (Zaifnejad et al., 1997)

(Kundu & Paul, 1997) 2001)

LRV5151

)

... () :

(Hamrouni et al., 2001)

()

()
()

()

(:O) " ×)

.() (p< /) (

.()

Mekki et al. (2001) Hamrouni et al.

(*Helianthus annus* L.) (1999)

Eliass & Stephen .

(2001)

" × " ×

× " (p< /)

(p< /)" × " "

LRV5151 .() ×

.() (/)

.()

(Hamrouni et al., 2001)

(:)

(Dwived et al., 1996)


(:)" " .()

/	*	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns
/	**	/	**	/	ns	/	**	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns
/	ns	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns
/	ns	/	ns	/	ns	/	**	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns
/	ns	/	*	/	**	/	**	/	**	/	*	/	ns	/	ns	/	ns	/	ns
/	ns	/	ns	/	ns	/	**	/	*	/	*	/	ns	/	ns	/	ns	/	ns
/	ns	/	ns	/	ns	/	**	/	*	/	ns	/	ns	/	ns	/	ns	/	ns
/	ns	/	ns	/	ns	/	**	/	ns	/	ns	/	ns	/	ns	/	ns	/	ns
/		/		/		/		/		/		/		/		/		/	

% %


** * ns

(S)
()
(V)
(F)
V × S
F×S
V ×F
S × V×F
()





LRV5151

LRV5151



... () :



" x "


() (p < /)

LRV5151


()

(Hashim et al., (:)


(Hamrouni et al., 2001) 1996)



×



×



×

REFERENCES

1. Arnon, I. (1986). *Crop production in dry regions*. Translated by: Koochaki and Alizadeh. Published by: Mashhad University.
2. Bajji, M., Lutts, S. & Kient, J. M. (2001). Water deficit effects on solute contribution to osmotic adjustment as a function of leaf aging in three durum wheat cultivars performing differently in arid conditions. *Plant Sci*, 160, 669-681.
3. Blum, A. (1996). Crop responses to drought and the interpretation of adaptation. *Plant Growth Reg*, 20,35-148.
4. Bokhari, U. G. & Trent, J. D. (1985). Proline concentrations in water stressed grasses. *Journal of Range Management*, 38, 37-38.
5. Bucherau, A., Clossais, B. N., Benaoud, A., Beport, L. & Renard, M. (1996). Water stress effects on rapeseed quality. *Europ J Agron*, 5, 19-30.
6. Bukhari, U. G. & Terent, J. D. (1985). Proline concentrations in water stressed grasses. *J Range Manager*, 38, 37-38.
7. Dwived, S. L., Nigam, S. N., Rao, R. C. N., Singh, U. & Rao, K. V. S. (1996). Effect of drought on oil, fatty acids and protein contents of groundnut (*Arachis hypogaea L.*) seeds. *Field Crops Res*, 48, 125-133.
8. Eliass, B. & Stephen, R. K. (2001). Response of safflower to saline soils and Irrigation. *Abstract from the Fifth International Safflower Conference United State of America*.
<http://safflower.wsu.edu/2001Abstracts.htm>.
9. Hamrouni, I., Ben Salah, H. & Marzouk, B. (2001). Effects of water- deficit on lipids of safflower aerial parts. *Phytochemistry*, 58, 277-280.
10. Hashim, I. B., Koehler, P. E., Eitenmiller, R. & Kvien, C. K. (1996). Fatty acid composition and tocopherol content of drought stressed florunner peanuts. *Peanut Sci*, 20, 21-24.
11. Hekmat Shoar, H. (1993). *Plant physiology under unfavorable conditions*. Published by: Niknam. PP251.
12. Ingram, J. & Bartels, D. (1996). The molecular basis of dehydration tolerance in plants. *Ann Rev Plant Physiol Mol Biol*, 47, 377-403.
13. Irigoyen, J. J., Emerich, D. W. & Sanchez-Diaz, M. (1992). Water Stress induced changes in concentrations of proline and total soluble sugars in nodulated alfalfa plants. *Physiol Plant*, 84,55-60.
14. Jones, L. H. & Verneye, W. H. (1992). Effect of environmental stress on quality of oilcrops. Agricultural Marginal Land: value and utilization in agro-ecological zones. In: *Proceeding of a workshop held within the community program for coordination of agricultural research*, 18-19 May, 1989, Brussels, Belgium, 57-81.
15. Kundu, P. B. & Paul, N. K. (1997). Effect of water stress on chlorophyll, proline and sugar accumulation in rape. *Bangladesh Journal of Botany*, 26, 83-85.
16. Lee, Y. C., Oh, S. W., Chang, J. & Kim, I. H. (2004). Chemical composition and oxidative stability of safflower oil prepared from safflower seed roasted with different temperatures. *Food Chem*, 84, 1-6.
17. Mahajan, S. & Tuteja, N. (2005). Cold, Salinity and drought stresses: An overview. *Archives of Biochemistry and Biophysics*. Available online at www.sciencedirect.com.
18. Mekki, B. B., EL – Kholy, M. A. & Mohamed, E. M. (1999). Yield, oil and fatty acids contents as affected by water deficit and potassium fertilization in tow sunflower cultivars. *Egyp J Agron*, 21, 67- 85.
19. Metcalf, L. C., Schmitz, A. A. & Pelka, J. R. (1966). Rapid preparation of Methyl esters from Lipid for gas chromatography analysis. *Analyt Chem*, 38, 514-515.
20. Ninganoor, B. T., Parameshwareapa, K. G. & Chetti, M. B. (1995). Analysis of some physiological characters and their association with seed yield and drought tolerance in safflower genotypes. *Kamataka. J Agric I Sci*, 18, 79-82.
21. Paleg, L. G. & Aspinall, D. (1981). *The physiology and biochemistry of drought resistance*. Academic Press. 285-288
22. Paquine, R. & Lechasseur, P. (1979). Observation sur une methode dosage la libre dans les de plants. *Can J Bot*, 57, 1851- 1654.
23. Sanchez, F. J., Manzanares, M., Andres, E. F., Ternorio, J. L., Ayerbe, L. & De Andres, E. F. (1998). Turgor Maintenance, osmotic adjustment and soluble sugar and proline accumulation in 49 pea cultivars in response to water stress. *Field Crops Res*, 59, 225-235.
24. Tanaka, D. L., Riveland, N. R., Bergman, J. W. & Schniter, A. A. (1997). Safflower plant development stages. In: *Proceedings of IVth International Safflower Conference.*, Bari, 2-7 June.
25. Wilkinson, R. E. (2002). *Plant- Enviroment Interaction*. Marcel Dekker, Inc. NEW York. BASEL. PP.39-64.
26. Zaifnejad, M., Clarck, R. B. & Sullivan, C. Y. (1997). Alluminum and water stress effects on growth and proline of sorghum. *J Plant Physiol*, 15, 338-244.
27. Zeinali, A. (1999). *Safflower (Knowledge, Production, Consumption)*. Published by: Gorgan University of Agricultural Sciences and Natural Resources. PP144.